

# VAUGHAN

More than a century of  
craftsmanship in striking tools



Distributors

**WALTER GOGEL COMPANY**

Fasteners-Springs-Tools

P.O. Box 1337

1819 N. 13th Street

TOLEDO, OHIO 43603

(419) 243-9144



CATALOG NO. 890



---

---

## TRADEMARKS

---

---

The following are registered trademarks of  
Vaughan & Bushnell Mfg. Co.

"999"

California Framer

Carpenter's Pride

Double Duty

E-Z-Swing

Little-Pro

Living Wedge

Mini Bar

Pro-16

Pro-Grip

Pro "Rocker"

Proud To Say Made In U.S.A.

Sub-Zero

SuperBar

SuperSteel

"Sure Lock"

"Tough Fibre"

V&B

Vaughan

---

---

## SPECIFICATIONS

---

---

Vaughan Professional, SuperSteel and Commercial brand  
tools meet or exceed the following specifications:

U.S.A.: GGG-H-86C, GGG-A-926C, GGG-H-131C,  
GGG-B-110A

Canada: 39-GP-1C, 39-GP-52A

Vaughan Professional brand tools meet or exceed NATO  
specifications, as outlined in 51-11 (Part 31)/Issue 2.

Vaughan and V&B replacement handles meet or exceed  
the following specifications:

U.S.A.: NN-H-0093b, NN-H-00106c

Canada: 39-GP-10M

Vaughan and V&B replacement Tough-Fibre and Supreme  
handles meet or exceed NATO specifications BS 3823 Part 1.

---

---

## ASSOCIATIONS

---

---

Vaughan is a member and active supporter of these trade  
associations:



This catalog is printed on recyclable paper. Vaughan uses recyclable materials in its product packaging.



# TABLE OF CONTENTS


<b>HANDLE CONSTRUCTION FEATURES</b> .....	6
<b>PROFESSIONAL CLAW HAMMERS</b> .....	7
Full Octagon Hickory, Fiberglass & Tubular; Solid Steel; Vaughan's Vanadium	
<b>PROFESSIONAL RIP HAMMERS, HICKORY</b> .....	8
"9" Little Pro®, "99" Pro-16®, "999®" Framing, "505" Framing, 606M Framing, 707M Framing	
<b>PROFESSIONAL RIP HAMMERS (Fiberglass, Tubular &amp; Solid Steel)</b> .....	9
"Pro-16" Fiberglass and Tubular; "999" Fiberglass, Tubular and Solid Steel; 606 Heavy Hitter	
<b>SUPERSTEEL® CLAW AND RIP HAMMERS</b> .....	10
Hickory, Fiberglass and Tubular Steel	
<b>PLAIN FACE, "COMMERCIAL" AND "DOUBLE DUTY®" HAMMERS</b> .....	11
Fiberglass & Hickory Plain Face, Curved Claw & Straight Claw "Commercial" & "Double Duty"	
<b>PROFESSIONAL CONTRACTOR TOOLS</b> .....	13
California Framer®, Shingling & Roofing Hatchets, Rig Builder's Hatchet, Carpenter's Half Hatchet, Drywall Tool	
<b>PROFESSIONAL CONTRACTOR TOOLS</b> .....	14
Underhill Lathing & Drywall Hatchets, Underhill Box Hatchet, Electrician's Hammer, Bricklayers Hammers	
<b>BALL PEIN AND RIVETING HAMMERS</b> .....	16
Fiberglass & Hickory Handle Ball Peins, "Commercial" Ball Peins, Machinist's Riveting, Tinner's Riveting	
<b>TACK, UPHOLSTERER'S AND WELDING HAMMERS</b> .....	17
Magnetic Tack, Magnetic Tack with Claw, Magnetic Upholsterer's, Welder's Chipping, Scaling	
<b>SUPERSTEEL HEAVY HAMMERS AND SLEDGES</b> .....	18
Hand Drilling Hammer, Blacksmith Hammer, Double Face Engineers', Lineman's Hammer, Industrial Mauls, Double Face Sledges	
<b>SUB-ZERO® AXES</b> .....	20
Prospecting Pick, Camp Axe, Double & Single Bit Axes—Michigan Pattern, Supersportsman's Axe	
<b>SUPERSTEEL HATCHETS AND AXES</b> .....	21
Oyster Hatchet, Broad Hatchet, Scout Axe, Hunter's Axe, Boy's Axe, Cruiser Axe, Single Bit Axes—Michigan & Dayton Patterns, Double Bit Axe—Michigan Pattern	
<b>HAMMER AND HATCHET SAFETY RULES</b> .....	22
Important safety considerations when choosing and using striking tools.	
<b>SUPERBAR® AND PRY BARS</b> .....	24
SuperBar, Nail Pullers, Mini-Bar®, Ripping Bar, Carpenters' Wrecking Bar	
<b>CHISELS, PUNCHES AND WEDGES</b> .....	25
Bricklayer's Sets, Cold Chisels, Center Punch, Pin Punches, Prick Punch, Square Head Splitting Wedges	
<b>PROFESSIONAL SOFT FACE HAMMERS</b> .....	27
Split-Head Hammers, Copper-Face Hammers, Rawhide-Face Hammers, Copper/Rawhide Face Hammers, Replacement Faces	
<b>NYLON FACE AND DEAD BLOW HAMMERS</b> .....	28
Soft-Face Hammers, Nylon-Face Hammers, Dead Blow Hammers, Replacement Faces	
<b>RAWHIDE AND RUBBER MALLETS</b> .....	29
Rawhide Mallets, Lead-Loaded Rawhide Mallets, Rubber Mallets, Solid Rubber Mallets	
<b>REPLACEMENT HANDLES</b> .....	30-33
<b>INDEX</b> .....	34, 35



# For people who take pride in their work ... tools to be proud of™

It's a Vaughan tradition — four generations in the making — that a tool's appearance is just as important as its performance ... that people appreciate fine quality, and will choose the tools that display it. It's a philosophy that dates back to Alexander Vaughan's founding of this company in 1869. Vaughan has grown in that time to a size that my great-grandfather could never have imagined. With the growth have come new equipment, new manufacturing techniques and changes in technology that have transformed Vaughan from a small maker of hand tools to a company that manufactures hundreds of styles and sizes of striking tools, and markets them all over the world.

What hasn't changed over the years is Vaughan's dedication to quality. Our tools are still made with an uncommon attention to detail ... crafted by dedicated workers



with their own family traditions of making Vaughan tools. We care a lot about the tools that carry the Vaughan name, and the care is obvious.

This catalog is in many ways a mirror of the changes that have taken place at Vaughan. It illustrates and describes a broader selection of tools than ever before, it's been reorganized to make it easier to use, and we've made prolific use of color photography to capture — on paper — the quality of the tools we make ... tools to be proud of.

*Howard A. Vaughan, Jr.*

Howard A. Vaughan, Jr.  
President







## FOUR HANDLE TYPES TO SUIT EVERY PREFERENCE



**HICKORY**

**FIBERGLASS**

**TUBULAR STEEL**

**SOLID STEEL**





## PROFESSIONAL

### FULL OCTAGON HICKORY


Full polished head with octagon neck and face. Top quality, white, full octagon hickory handles, triple wedged and epoxy sealed for "Sure-Lock®" handle tightness.

ITEM CODE	CATALOG NO.	HEAD oz.	WEIGHT g	LGTH. in.	STD. PKG.	PKG. lbs.
113-03	DO13	13	370	12½	4	5
114-03	DO16	16	450	13	4	6
115-03	DO20	20	570	14	4	7

### FULL OCTAGON FIBERGLASS

Full polished head with octagon neck and face. Exclusive hollow core fiberglass handle absorbs shock, provides superb balance. Steel wedged, epoxy-sealed eye. Slip-resistant grip, contoured for comfort.

ITEM CODE	CATALOG NO.	HEAD oz.	WEIGHT g	LGTH. in.	STD. PKG.	PKG. lbs.
113-15	FS13	13	370	12½	4	5½
114-10	FS16	16	450	13	4	6½
115-05	FS20	20	570	14	4	7¼
115-06	FS20L	20	570	16	4	7½



### Encourage safe work habits!

Advise your customers to always wear safety goggles when using striking tools.

Claws have inner bevel that firmly grips brads or spikes



Polished octagon neck and face

Contoured crown drives nails flush without marring surface

See page 6 for details of handle construction and wedging

## CLAW HAMMERS

### SOLID STEEL

Full polished with octagon neck and round face. Forged steel from head to heel. Exclusive hickory plug in head absorbs shock. Exclusive air-cushioned, slip-resistant grip.

ITEM CODE	CATALOG NO.	HEAD oz.	WEIGHT g	LGTH. in.	STD. PKG.	PKG. lbs.
109-10	R16	16	450	12¾	4	6¼
127-15	R20	20	570	13¾	4	7¾
108-15	R24	24	680	14	4	8¼

### FULL OCTAGON TUBULAR

Full polished head with octagon neck and face. Patented 4" hickory plug in eye adds strength, absorbs shock, locks head to handle. Steel wedged, epoxy-sealed eye. Slip-resistant grip, contoured for comfort.

ITEM CODE	CATALOG NO.	HEAD oz.	WEIGHT g	LGTH. in.	STD. PKG.	PKG. lbs.
114-00	T016	16	450	13	4	6½
115-10	T020	20	570	14	4	7¼

### VAUGHAN'S VANADIUM

Full polished head with octagon neck and round face. Top quality, white hickory handles, triple wedged and epoxy sealed for "Sure-Lock®" handle tightness.

ITEM CODE	CATALOG NO.	HEAD oz.	WEIGHT g	LGTH. in.	STD. PKG.	PKG. lbs.
113-01	V13	13	370	12½	4	5½
120-01	V16	16	450	13	4	6





## PROFESSIONAL

### 10 oz. "9" LITTLE PRO®

A beautifully balanced small hammer, ideal for cabinet making and finishing work. Top quality white hickory handle is triple wedged. Also available in curved claw pattern.

ITEM CODE	CATALOG NO.	HEAD WEIGHT oz.	HEAD WEIGHT g	LGTH. in.	STD. PKG.	PKG. lbs.
122-01	9	10	285	11	4	4
126-10	9C	10	285	11	4	4

### 16 oz. "99" PRO-16®

Available with either smooth or milled face, this is a nicely proportioned hammer for all-round use. Top quality, white hickory handle is triple wedged.

ITEM CODE	CATALOG NO.	HEAD WEIGHT oz.	HEAD WEIGHT g	LGTH. in.	STD. PKG.	PKG. lbs.
124-00	99	16	450	13	4	6
124-20	Ms99	16	450	13	4	6

### 20 oz. "999"® FRAMING

Available in two lengths, with either smooth or milled face, its superb balance and comfortable grip make this hammer a favorite of tradesmen. Top quality, white hickory handle is triple wedged.

ITEM CODE	CATALOG NO.	HEAD WEIGHT oz.	HEAD WEIGHT g	LGTH. in.	STD. PKG.	PKG. lbs.
105-00	999	20	570	14	4	7¼
105-10	999L	20	570	16	4	7¼
105-20	999M	20	570	14	4	7¼
105-30	999ML	20	570	16	4	7¼
105-37	999MLFO	20	570	16	4	7¼

## RIP HAMMERS

### 24 oz. "505" FRAMING

Available with either smooth or milled face, this framing hammer sets the industry standard for appearance and balance. Top quality white hickory handle is triple wedged.

ITEM CODE	CATALOG NO.	HEAD WEIGHT oz.	HEAD WEIGHT g	LGTH. in.	STD. PKG.	PKG. lbs.
123-01	505	24	680	17	4	9
123-20	505M	24	680	17	4	9

### 28 oz. 606M SUPER FRAMING


An extra-heavy framer designed to provide excellent overall balance. The top quality white hickory handle is triple-wedged. Milled face.

ITEM CODE	CATALOG NO.	HEAD WEIGHT oz.	HEAD WEIGHT g	LGTH. in.	STD. PKG.	PKG. lbs.
106-20	606M	28	800	18	2	4¾
106-02	606S	28	800	15	2	4½

### 32 oz. 707M SUPER FRAMING

The heaviest framer you can buy, yet proportioned to give excellent balance. Milled face. The top quality, white hickory handle is triple-wedged.

ITEM CODE	CATALOG NO.	HEAD WEIGHT oz.	HEAD WEIGHT g	LGTH. in.	STD. PKG.	PKG. lbs.
107-20	707M	32	900	18	2	5½



Claws have inner bevel that firmly grips brads or spikes

Special deep-throat design for power strikes in difficult areas

Extra-large striking face for surer strikes



Optional milled face helps prevent glancing blows and flying nails



**Encourage safe work habits!**  
Advise your customers to always wear safety goggles when using striking tools.





## PROFESSIONAL

### 16 oz. "PRO-16"® FIBERGLASS

Vaughan's exclusive, hollow-core fiberglass handle provides better balance and more effective shock absorption than typical solid fiberglass handles. Head "Sure-Lock" wedged and epoxy sealed. Slip-resistant grip, contoured for comfort.

ITEM CODE	CATALOG NO.	HEAD oz.	WEIGHT g	LGTH. in.	STD. PKG.	PKG. lbs.
124-10	FS99	16	450	13½	4	6

### 20 and 24 oz. "999"® FIBERGLASS

Vaughan's exclusive, hollow-core fiberglass handle provides better balance and more effective shock absorption than typical solid fiberglass handles. Head "Sure-Lock" wedged and epoxy sealed. Slip-resistant grip, contoured for comfort.

ITEM CODE	CATALOG NO.	HEAD oz.	WEIGHT g	LGTH. in.	STD. PKG.	PKG. lbs.
105-08	FS999	20	570	14	4	8
105-16	FS999L	20	570	16	4	8¾
123-31	FS505	24	680	17	4	9
<b>Milled Face</b>						
105-38	FS999ML	20	570	16	4	8¾
123-38	FS505M	24	680	17	4	10

### 16 oz. "PRO-16"® TUBULAR

Polished and chrome plated tubular steel handle. Patented 4" hickory plug in eye adds strength, absorbs shock, locks head to handle. Steel wedged, epoxy-sealed eye. Slip-resistant grip, contoured for comfort.

ITEM CODE	CATALOG NO.	HEAD oz.	WEIGHT g	LGTH. in.	STD. PKG.	PKG. lbs.
124-30	99T	16	450	13	4	7¾

Fiberglass handles have hollow core design for better balance

Patented hickory plug in eye extends into tubular steel handle

Exclusive hardwood plug in solid steel hammer head reduces irritating shock



**Encourage safe work habits!**  
Advise your customers to always wear safety goggles when using striking tools.

## RIP HAMMERS

### 20 oz. "999" TUBULAR STEEL

Polished and chrome plated tubular steel handles. Assembled with 4" hickory plug through eye to add strength, absorb shock. Steel wedged, epoxy-sealed eye. Slip-resistant grip, contoured for comfort.

ITEM CODE	CATALOG NO.	HEAD oz.	WEIGHT g	LGTH. in.	STD. PKG.	PKG. lbs.
105-01	999T	20	570	14	4	8
105-11	999TL	20	570	16	4	8¾
<b>Milled Face</b>						
105-31	999TML	20	570	16	4	8¾

### "999" SOLID STEEL

Forged steel "I-Beam" handle with contoured, air-cushioned, slip-resistant grip. Hickory plug in head absorbs shock.

ITEM CODE	CATALOG NO.	HEAD oz.	WEIGHT g	LGTH. in.	STD. PKG.	PKG. lbs.
125-10	R99	16	450	12¾	4	6¼
112-00	R999	22	625	14	4	8¼
112-10	R999L	22	625	16	4	8¾
<b>Milled Face</b>						
112-20	R999ML	22	625	16	4	8¾

### 28 oz. 606 HEAVY HITTER® SOLID STEEL

Forged steel "I-Beam" handle with contoured, air-cushioned, slip-resistant grip. Hickory plug in head absorbs shock.

ITEM CODE	CATALOG NO.	HEAD oz.	WEIGHT g	LGTH. in.	STD. PKG.	PKG. lbs.
110-01	R606	28	800	16	2	5
<b>Milled Face</b>						
110-00	R606M	28	800	16	2	10¼





## SUPERSTEEL® CLAW

## AND RIP HAMMERS

The SuperSteel label identifies a superb line of striking tools designed for industry, tradesmen and the discriminating do-it-yourselfer. SuperSteel tools are forged of the same high quality steels as the Vaughan Professional line, and heat treated to our exacting standards. They differ from Vaughan Professional tools only in details of finishing and polish. Available with hickory, fiberglass and tubular steel handles, SuperSteel tools offer high quality at an exceptionally attractive price.

### HICKORY

Polished striking head, sides and claw. Octagon face and neck and octagon handle. Select, flame-treated hickory handles triple wedged in tapered eye.

ITEM CODE	CATALOG NO.	HEAD WT. oz.	HEAD WT. g	LGTH. in.	STD. PKG.	PKG. lbs.
-----------	-------------	--------------	------------	-----------	-----------	-----------

#### Curved Claw—Octagon Face and Neck\*

131-20	S7	7	200	11½	4	3¼
113-20	S13	13	370	12½	4	4½
114-15	S16	16	450	13	4	6
115-40	S20	20	570	14	4	7

#### Straight Claw—Round Face

104-15	S16R	16	450	13	4	6
--------	------	----	-----	----	---	---

\*No. 131-20 has round face, neck and handle.

Claws have inner bevel that firmly grips brads or spikes



Contoured crown drives nails flush without marring surface

See page 6 for details of handle construction and wedging

### FIBERGLASS

Polished striking head, sides and claw. Octagon face and neck. Exclusive hollow core fiberglass handle absorbs shock, provides excellent balance. Steel wedged, epoxy sealed assembly. Slip-resistant grip, contoured for comfort.

ITEM CODE	CATALOG NO.	HEAD WT. oz.	HEAD WT. g	LGTH. in.	STD. PKG.	PKG. lbs.
-----------	-------------	--------------	------------	-----------	-----------	-----------

#### Curved Claw—Octagon Face and Neck

114-22	S16F	16	450	13	4	6½
115-22	S20F	20	570	14	4	7¼

#### Straight Claw—Round Face

104-05	S16FR	16	450	13	4	6½
--------	-------	----	-----	----	---	----

### TUBULAR STEEL

Polished and chrome plated tubular steel handle. Octagon face and neck. Patented 4" hickory plug in eye adds strength, absorbs shock. Steel wedged, epoxy-sealed eye. Slip resistant grip.

ITEM CODE	CATALOG NO.	HEAD WT. oz.	HEAD WT. g	LGTH. in.	STD. PKG.	PKG. lbs.
-----------	-------------	--------------	------------	-----------	-----------	-----------

#### Curved Claw—Octagon Face and Neck

114-28	S16T	16	450	13	4	6½
115-28	S20T	20	570	14	4	7¼

#### Straight Claw—Round Face

104-03	S16TR	16	450	13	4	6½
--------	-------	----	-----	----	---	----





## PLAIN FACE, "COMMERCIAL" &

Made entirely in the USA, Vaughan Commercial and Double Duty Brand Hammers are forged of high quality American steel, hardened and tempered to precise standards. Polishing operations on Commercial hammers are limited to permit more economical pricing. Double Duty hammers have forge finish with rust-resistant, black paint. Only the face and bevel are polished.

The Plain Face Hammer is a popular style in Europe. It differs from domestic designs in that it has a conically-shaped poll. Vaughan Plain Face Hammers are available with fiberglass, clear white hickory and lacquered hickory handles.


### PLAIN FACE

Polished striking face, sides and claw. Hickory handles are triple wedged in tapered eye; fiberglass handles are steel wedged and epoxy sealed. Slip resistant grip.

ITEM CODE	CATALOG NO.	HEAD WEIGHT oz.	LGTH. g	STD. in.	PKG. PKG.	lbs.
<b>Fiberglass Handle</b>						
134-93	FS16P	16	450	13	4	16
136-93	FS20P	20	570	14	4	18
<b>Select, Hickory Handle</b>						
134-41	S16P	16	450	13	4	14
136-41	S20P	20	570	14	4	16
<b>Lacquered Hickory Handle</b>						
134-95	DD16P	16	450	13	10	14
136-95	DD20P	20	570	14	10	16



Handle triple-wedged into eye with wood & steel wedges



Double Duty Hammers assembled with patented "Living Wedge"



Head forged of American-made, high carbon steel, triple-zone heat treated

## "DOUBLE DUTY" HAMMERS

### COMMERCIAL HICKORY


Polished striking head, sides and claw. Good grade hickory handle, triple wedged in tapered eye.

ITEM CODE	CATALOG NO.	HEAD WEIGHT oz.	LGTH. g	STD. in.	PKG. PKG.	lbs.
<b>Curved Claw</b>						
133-30	TC16	16	450	13	4	6
<b>Straight Claw</b>						
137-30	TC16R	16	450	13	4	6

### DOUBLE DUTY HICKORY

Forge finish with rust resistant black paint, polished face and bevel. Lacquered finish hickory handle assembled with patented "Living Wedge" to ensure permanent handle tightness.

ITEM CODE	CATALOG NO.	HEAD WEIGHT oz.	LGTH. g	STD. in.	PKG. PKG.	lbs.
<b>Curved Claw</b>						
131-50	DD7	7	200	11½	4	3¼
133-50	DD16	16	450	13	4	6
<b>Straight Claw</b>						
122-50	DD9	10	285	11	4	4
137-50	DD16R	16	450	13	4	6



**Encourage safe work habits!**

Advise your customers to always wear safety goggles when using striking tools.





Professional SHINGLING  
HATCHET  
NO. 54

DESIGNED FOR  
PROFESSIONALS  
VAUGHAN  
QUALITY TOOLS SINCE 1889

PROFESSIONAL  
CALIFORNIA PRIMER  
NO. 10000  
VAUGHAN  
QUALITY TOOLS SINCE 1889

VAUGHAN  
MADE IN U.S.A.

DESIGNED FOR  
PROFESSIONALS  
VAUGHAN  
QUALITY TOOLS SINCE 1889

Professional  
NO. WB

Pro "Rock"  
DRYALL TOOL  
VAUGHAN  
QUALITY TOOLS SINCE 1889  
U.S. PATENT 2,612,700

MADE IN USA  
VAUGHAN  
QUALITY TOOLS SINCE 1889

MADE IN USA  
VAUGHAN  
QUALITY TOOLS SINCE 1889



## PROFESSIONAL

### CALIFORNIA FRAMER®

This popular heavy construction hammer combines features of Vaughan's "999" Rip Hammer and Rigbuilder's Hatchet. Full polished head and claws with octagon neck, hatchet eye and extra-large striking face. Top quality, white hickory handle, triple-wedged into eye.

ITEM CODE	CATALOG NO.	HEAD oz.	WEIGHT g	LGTH. in.	STD. PKG.	PKG. lbs.
<b>Milled Face</b>						
103-00	CF1	23	660	17	4	9
<b>Smooth Face</b>						
103-01	CF1P	23	660	17	4	9

### SHINGLING HATCHET


Full polished with milled, crowned face, nail slot and back blade. Three-hole gauge: 4½", 5" and 14.3 cm for U.S. standard and metric shingle measurement. Select, hickory handle. 2½" cut.

ITEM CODE	CATALOG NO.	HEAD oz.	WEIGHT g	LGTH. in.	STD. PKG.	PKG. lbs.
201-01	SH	14	400	13	2	3½
201-10	Gauge	—	—	—	10	1

### ROOFING HATCHET (Not Shown)

Milled, octagon striking face, beveled nail slot, 2½" cut. Black, rust-resistant finish. Select, flame-treated hickory handle.

ITEM CODE	CATALOG NO.	HEAD oz.	WEIGHT g	LGTH. in.	STD. PKG.	PKG. lbs.
211-01	RH	17	480	13	4	6½



Beveled nail slot



Three-position gauge on shingling hatchet spaces



Unique flat-top head on wallboard tool allows strikes close to corners

## CONTRACTOR TOOLS

### RIG BUILDER'S HATCHET

Full polished head. Extra large milled face. 3½" blade. Select, flame-treated hickory handle. A truly professional tool designed for heavy construction.

ITEM CODE	CATALOG NO.	HEAD oz.	WEIGHT g	LGTH. in.	STD. PKG.	PKG. lbs.
204-20	RB	28	800	17	4	9
<b>Car Builder's—Smooth Face, Black Painted Finish</b>						
204-01	CB	28	800	14	4	8

### CARPENTER'S HALF HATCHET

Full-polished head. 3½" cut; fine, flame-treated hickory handle. A fine, standard weight tool for construction trades or handyman.

ITEM CODE	CATALOG NO.	HEAD oz.	WEIGHT g	LGTH. in.	STD. PKG.	PKG. lbs.
205-20	SH2	22	625	13	4	7¾

### DRYWALL (WALLBOARD) TOOL

Full polished, with milled, crowned face, thin blade, 2¼" cut. Patented flat head for nailing close to corners. Select, hickory handle, "Sure-Lock®" wedged.

ITEM CODE	CATALOG NO.	HEAD oz.	WEIGHT g	LGTH. in.	STD. PKG.	PKG. lbs.
210-01	WB	12	340	15¼	2	2½
210-02	WBS	12	340	13¼	2	2¼



**Encourage safe work habits!**  
Advise your customers to always wear safety goggles when using striking tools.





## PROFESSIONAL

### UNDERHILL LATHING AND DRYWALL HATCHETS

Lathing Hatchet has extra thin blade. Both have 2 1/8" cut and feature full polished head with milled, crowned face and full-grip, select hickory handle.

ITEM CODE	CATALOG NO.	HEAD oz.	WEIGHT g	LGTH. in.	STD. PKG.	lbs.
Lathing Hatchet						
200-01	UL	14	400	13	2	3 1/4
Drywall Hatchet (Not Shown)						
200-02	UDH	14	400	13	2	3 1/4

### UNDERHILL BOX HATCHET

Milled crowned face, thin blade, 2 1/4" cut, beveled nail slot. Full polished head. Select, flame-treated hickory handle.

ITEM CODE	CATALOG NO.	HEAD oz.	WEIGHT g	LGTH. in.	STD. PKG.	lbs.
203-01	BX2	16	450	13	4	7

### ELECTRICIAN'S STRAIGHT CLAW HAMMER

Polished striking head, sides and claw. Extra long poll for striking inside electrical junction boxes. Patented hollow core fiberglass handle provides balance and strength, absorbs shock. Steel wedged and epoxy sealed assembly, slip resistant grip.

ITEM CODE	CATALOG NO.	HEAD oz.	WEIGHT g	LGTH. in.	STD. PKG.	lbs.
138-20	E18F	18	510	14	4	7

Milled face helps prevent glancing blows and flying nails

Extra long poll on Electrician's Hammer

Exclusive carbide chisel end available on Brick Hammers


Beveled edges on Brick Hammer faces

## CONTRACTOR TOOLS

### BRICKLAYERS HAMMERS

Highly polished striking head, sides and blade. Square, flat face with beveled edges. Select, flame-treated handle, double wedged and epoxy sealed, or Steel "I-Beam" handle with patented air-cushioned grip. Exclusive hickory plug in head absorbs shock (solid steel only). Should not be used to strike metal surfaces.

ITEM CODE	CATALOG NO.	HEAD oz.	WEIGHT g	LGTH. in.	STD. PKG.	lbs.
<b>Hickory Handles</b>						
176-10	BL10	10	285	10 1/2	4	3 1/2
177-10	BL16	16	450	11	4	5
178-10	BL24	24	680	11 1/2	4	7 1/2
<b>With Vaughan's Exclusive Carbide Chisel End</b>						
177-14	BL16TC	16	450	11	4	5
178-16	BL24TC	24	680	11 1/2	4	7 1/2
<b>Solid Steel</b>						
184-12	ABL18	18	510	11	4	5 1/2



**Encourage safe work habits!**

Advise your customers to always wear safety goggles when using striking tools.









**BALL PEIN &**

**RIVETING HAMMERS**

### FIBERGLASS HANDLE BALL PEIN HAMMERS

Highly polished striking head, cheeks and pein. Vaughan's exclusive, hollow-core fiberglass handle provides better balance and more effective shock absorption than solid fiberglass handles. Steel wedged and epoxy sealed adze eye assembly. Slip-resistant grip.

ITEM CODE	CATALOG NO.	HEAD WEIGHT oz.	HEAD WEIGHT g	LGTH. in.	STD. PKG.	PKG. lbs.
161-10	FS308	8	225	12½	4	4
162-10	FS2012	12	340	13	4	5
163-10	FS016	16	450	13	4	6
164-10	FS224	24	680	14½	4	8½
165-10	FS432	32	900	14¾	4	10½

### HICKORY HANDLE BALL PEIN HAMMERS

Concentrically ground and polished striking head and pein. Generous bevel; cheeks ground smooth. Flame-treated, compression wedged hickory handle. Finished in rust resistant black paint.

ITEM CODE	CATALOG NO.	HEAD WEIGHT oz.	HEAD WEIGHT g	LGTH. in.	STD. PKG.	PKG. lbs.
150-20	S702	2	55	10¼	4	1
151-20	S504	4	115	10¼	4	1¾
153-20	S308	8	225	12	4	3¼
154-20	S2012	12	340	12¾	4	4½
155-20	S016	16	450	13¾	4	5¾
156-20	S120	20	570	15	4	7
157-20	S224	24	680	15¼	4	8½
158-20	S432	32	900	15¾	4	10¾
159-20	S640	40	1135	16	4	12
160-20	S848	48	1360	16	4	13½



**Encourage safe work habits!**  
Advise your customers to always wear safety goggles when using striking tools.

Concentrically ground, polished striking head & pein



Generous bevel on striking face

See page 6 for additional details of handle construction

### COMMERCIAL BALL PEIN HAMMERS

Polished face, bevel and pein. Other surfaces finished in rust resistant black paint. Compression wedged hickory handle.

ITEM CODE	CATALOG NO.	HEAD WEIGHT oz.	HEAD WEIGHT g	LGTH. in.	STD. PKG.	PKG. lbs.
151-30	TC504	4	115	10¼	4	1
153-30	TC308	8	225	12	4	3¼
154-30	TC2012	12	340	12¾	4	4½
155-30	TC016	16	450	13¾	4	5¼
156-30	TC120	20	570	15	4	7
157-30	TC224	24	680	15¼	4	8½
158-30	TC432	32	900	15¾	4	10¼
159-30	TC640	40	1135	16	4	12
160-30	TC848	48	1360	16	4	13½

### MACHINIST'S RIVETING

Polished, round head with flat striking face and rounded cross pein. Select, flame-treated hickory handle is "Sure-Lock" wedged to head.

ITEM CODE	CATALOG NO.	HEAD WEIGHT oz.	HEAD WEIGHT g	LGTH. in.	STD. PKG.	PKG. lbs.
166-10	MR12	12	340	13	4	4½

### TINNER'S RIVETING

Polished, octagon head with flat striking face and rounded cross pein. Select, flame-treated hickory handle on 12 oz. model is "Sure-Lock" wedged. Hollow core fiberglass handle on 16 oz. model absorbs shock, has epoxy-sealed eye and slip-resistant grip.

ITEM CODE	CATALOG NO.	HEAD WEIGHT oz.	HEAD WEIGHT g	LGTH. in.	STD. PKG.	PKG. lbs.
--------------	----------------	--------------------	------------------	--------------	--------------	--------------

Hickory Handle	168-10	TR12	12	340	12½	4	4¼
Fiberglass handle	168-15	TR16F	16	450	12½	4	4¼





## TACK, UPHOLSTERER'S &

### MAGNETIC TACK HAMMER

Magnetic face holds and sets tacks; opposite face used for driving. Forged steel head, 4 1/4" long. Flame treated hickory handle.

ITEM CODE	CATALOG NO.	HEAD WEIGHT oz.	LGTH. g	STD. in.	PKG. lbs.
180-34	SBP5	5	140	11	4 2

### MAGNETIC TACK HAMMER WITH CLAW

Forged head, 5 1/8" long, with magnetic striking face. Long, thin claw pulls tacks easily. Flame treated hickory handle securely wedged in adze eye.

ITEM CODE	CATALOG NO.	HEAD WEIGHT oz.	LGTH. g	STD. in.	PKG. lbs.
182-20	ST5	5	140	11	4 2 1/4

### MAGNETIC UPHOLSTERER'S HAMMER

Forged curved head, 5 3/4" long. Magnetic face holds and sets tacks; opposite face used for driving. Flame treated hickory handle securely wedged in adze eye.


ITEM CODE	CATALOG NO.	HEAD WEIGHT oz.	LGTH. g	STD. in.	PKG. lbs.
183-20	SU7	7	200	11 1/2	4 3



Long, thin claw  
pulls tacks from  
hard-to-reach places



Magnetic face  
for holding and setting  
tacks & small nails



**Encourage safe work habits!**  
Advise your customers to  
always wear safety goggles  
when using striking tools.

## WELDER'S HAMMERS

### WELDER'S CHIPPING HAMMER

One end has sharp 1 1/4" blade with back bevel; other end tapers to a point. Flame-treated hickory handle "Sure-Lock" wedged in tapered adze eye.

ITEM CODE	CATALOG NO.	HEAD WEIGHT oz.	LGTH. g	STD. in.	PKG. lbs.
185-10	WC12	12	340	11 1/4	4 4

### SOLID STEEL WELDER'S CHIPPING HAMMERS

One end has sharp 1" blade; other end tapers to a point. Coil spring steel handle. Rust resistant, black oxide finish.

ITEM CODE	CATALOG NO.	HEAD WEIGHT oz.	LGTH. g	STD. in.	PKG. lbs.
Vertical Blade					
198-10	WCAS	15	420	10	10 9 3/4
Horizontal Blade					
198-15	WCCS	15	420	10	10 9 3/4

### SCALING HAMMER

Straight blade has double bevel; cross blade has single back bevel. Head is ground smooth. Flame-treated hickory handle, triple wedged in adze eye for "Sure-Lock" tightness.

ITEM CODE	CATALOG NO.	HEAD WEIGHT oz.	LGTH. g	STD. in.	PKG. lbs.
186-10	SC16	16	450	12 1/4	4 5 1/4



## SUPERSTEEL® HEAVY

### HAND DRILLING HAMMER

The right hammer for striking star drills, cold chisels, brick chisels and punches. Broad, polished striking faces with generous bevels. Rust resistant black finish on smooth ground sides. Select, flame treated hickory handle.

ITEM CODE	CATALOG NO.	HEAD WEIGHT lbs.	HEAD WEIGHT kg	LGTH. in.	STD. PKG.	PKG. lbs.
191-10	HD3	3	1.4	10¼	4	14

### BLACKSMITH (ENGINEERS') HAMMERS

Polished striking face and ends of pein are generously beveled to minimize chipping. Rust resistant black finish on smooth ground sides. Flame treated hickory handle, "Sure-Lock" wedged in tapered eye.

ITEM CODE	CATALOG NO.	HEAD WEIGHT lbs.	HEAD WEIGHT kg	LGTH. in.	STD. PKG.	PKG. lbs.
170-30	S32	2	0.9	14½	4	10
171-30	S40	2½	1.1	15½	4	12½
172-30	S48	3	1.4	16	4	15

### DOUBLE FACE ENGINEERS' HAMMERS


Polished striking faces with generous bevels. Rust resistant black finish on smooth ground sides. Flame treated hickory handle, "Sure-Lock" wedged in tapered eye.

ITEM CODE	CATALOG NO.	HEAD WEIGHT lbs.	HEAD WEIGHT kg	LGTH. in.	STD. PKG.	PKG. lbs.
173-30	SDF40	2½	1.1	15½	4	12½
174-30	SDF48	3	1.4	16	4	15

Extra-large  
striking face  
for surer strikes

Generous bevel  
on striking face

Handle "Sure-Lock"  
wedged in eye



**Encourage safe work habits!**  
Advise your customers to  
always wear safety goggles  
when using striking tools.

## HAMMERS & SLEDGES

### LINEMAN'S (FARRIER'S TURNING) HAMMER

Head 3¼" long, with polished faces and bevels. Striking faces 1¾" diameter. Flame treated hickory handle, "Sure-Lock" wedged in tapered eye.

ITEM CODE	CATALOG NO.	HEAD WEIGHT lbs.	HEAD WEIGHT kg	LGTH. in.	STD. PKG.	PKG. lbs.
175-10	L36	2¼	1.0	15½	4	11

### INDUSTRIAL MAULS

Drop forged from high carbon steel and annealed only, not hardened. Intended for use where hardened steel hammers would damage steel parts. Polished faces and bevels, rust resistant black finish on sides. Exclusive hollow core fiberglass handle with neoprene grip absorbs shock. Epoxy sealed assembly.

ITEM CODE	CATALOG NO.	HEAD WEIGHT lbs.	HEAD WEIGHT kg	LGTH. in.	STD. PKG.	PKG. lbs.
188-55	M1½F	1½	0.7	15	4	7
189-55	M3F	3	1.4	15	4	13

### DOUBLE FACE SLEDGES

Polished faces with generous bevels. Rust resistant black finish on sides. Flame treated hickory handle.

ITEM CODE	CATALOG NO.	HEAD WEIGHT lbs.	HEAD WEIGHT kg	LGTH. in.	STD. PKG.	PKG. lbs.
571-04	SS4	4	1.8	16	2	9
571-06	SS6	6	2.7	36	2	13
571-08	SS8	8	3.6	36	2	17
571-10	SS10	10	4.5	36	2	21
571-12	SS12	12	5.5	36	2	25









**VAUGHAN**

**SUB-ZERO AXES**

## SOLID STEEL PROSPECTING PICK

Forged steel head and I-beam handle, fully polished. Flat striking face and pointed pick. Patented, air-cushioned grip.

ITEM CODE	CATALOG NO.	HEAD WT. oz.	HEAD WT. g	LGTH. in.	STD. PKG.	PKG. lbs.
179-01	AP16	16	450	12½	4	7¾
<b>Smooth Ground, Unpolished Finish</b>						
179-03	AP16U	16	450	12½	4	7¾

## SOLID STEEL CAMP AXE

Full polished head and handle. Flat striking face with beveled edges. Nail slot in blade. Curved handle with shock absorbing, slip-resistant grip. Supplied with durable, fitted sheath.

ITEM CODE	CATALOG NO.	HEAD WT. lbs.	HEAD WT. kg	LGTH. in.	STD. PKG.	PKG. lbs.
334-02	AS1¼	1¼	600	13	4	7½
<b>Sheath Only</b>						
562-00	S1¼					



**Encourage safe work habits!**  
Advise your customers to always wear safety goggles when using striking tools.



Thin, specially hardened, hollow ground blade

Blade hardened and tempered to stand up in temperature extremes



## DOUBLE BIT — MICHIGAN PATTERN

Hollow ground blades permit deeper cuts and easier release. Best grade, white hickory handle.

ITEM CODE	CATALOG NO.	HEAD WT. lbs.	HEAD WT. kg	LGTH. in.	STD. PKG.	PKG. lbs.
322-01	ZDB3½	3½	1.6	36	2	11

## SINGLE BIT — MICHIGAN PATTERN

Hollow ground blade permits deeper cuts and easier release. Best grade, white hickory handle.

ITEM CODE	CATALOG NO.	HEAD WT. lbs.	HEAD WT. kg	LGTH. in.	STD. PKG.	PKG. lbs.
301-01	ZSB3½	3½	1.6	36	2	11

## SUPERSPORTSMAN'S AXE

This excellent small axe is made exclusively by Vaughan in the Sub-Zero tradition. Fits tackle box or jacket pocket. Select, flame-treated hickory handle.

ITEM CODE	CATALOG NO.	HEAD WT. lbs.	HEAD WT. kg	LGTH. in.	STD. PKG.	PKG. lbs.
333-01	ZS½	½	225	10	4	3
<b>Sheath Only</b>						
560-00	S½					





## SUPERSTEEL® HATCHETS

### OYSTER HATCHET

A lightweight, forged hatchet with a 2¾" cut. Rust resistant, black finish; lacquered hickory handle.

ITEM CODE	CATALOG NO.	HEAD oz.	WEIGHT g	LGTH. in.	STD. PKG.	PKG. lbs.
212-02	2/0	12	336	12	4	3½

### BROAD HATCHET

A heavy duty striking tool with a 4½" right hand cut. Large, flat driving face has beveled edges. Smooth ground, black, rust resistant finish. Fine, flame-treated hickory handle.

ITEM CODE	CATALOG NO.	HEAD oz.	WEIGHT g	LGTH. in.	STD. PKG.	PKG. lbs.
207-01	SB2	28	800	14	4	11¼

### SCOUT (CAMP) AXE

Light weight and easy to carry. Head is ground smooth, with a rust resistant black finish. Fine, flame treated hickory handle. Durable fitted sheath is optional.

ITEM CODE	CATALOG NO.	HEAD oz.	WEIGHT g	LGTH. in.	STD. PKG.	PKG. lbs.
--------------	----------------	-------------	-------------	--------------	--------------	--------------

#### Without Sheath

332-20 SC1¼ 1¼ 600 14 4 8

#### With Sheath

332-24 SCS1¼ 1¼ 600 14 4 8½

#### Sheath Only

561-00 L1¼

### HUNTER'S AXE

A Dayton pattern axe, drop forged of high carbon steel, then heat treated and tempered for lasting sharpness. Ideal for sportsmen and campers. Head is ground smooth, with a rust resistant black finish. Fine, flame-treated hickory handle.

ITEM CODE	CATALOG NO.	HEAD oz.	WEIGHT g	LGTH. in.	STD. PKG.	PKG. lbs.
--------------	----------------	-------------	-------------	--------------	--------------	--------------


331-20 SH1¼ 1¼ 800 17 4 9



**Encourage safe work habits!**

Advise your customers to always wear safety goggles when using striking tools.

Head forged of American-made, high carbon steel, specially heat treated



Handle is flame treated, straight grain hickory

## AND AXES

### BOY'S AXE

Dayton pattern, drop forged of high carbon steel, then heat treated and tempered for lasting sharpness. Head is ground smooth, with a rust resistant black finish. Fine, flame-treated hickory handle.

ITEM CODE	CATALOG NO.	HEAD oz.	WEIGHT kg	LGTH. in.	STD. PKG.	PKG. lbs.
330-20	SB2¼	2¼	1.0	28	2	7

### CRUISER AXE

A popular, lightweight, double-bit axe. Drop forged of high carbon steel, heat treated and tempered. Head is ground smooth, with a rust resistant black finish. Fine, flame treated hickory handle.

ITEM CODE	CATALOG NO.	HEAD lbs.	WEIGHT kg	LGTH. in.	STD. PKG.	PKG. lbs.
320-20	SC2½	2½	1.1	28	2	7

### SINGLE BIT AXES

Drop forged of high carbon steel, carefully heat treated and tempered for lasting sharpness. Head is ground smooth, with a rust resistant black finish. Fine, flame treated hickory handle.

ITEM CODE	CATALOG NO.	HEAD lbs.	WEIGHT kg	LGTH. in.	STD. PKG.	PKG. lbs.
--------------	----------------	--------------	--------------	--------------	--------------	--------------

#### Michigan Pattern

301-20 SSB3½ 3½ 1.6 36 2 11

#### Dayton Pattern

306-20 SSB3½ 3½ 1.6 36 2 11

307-20 SSB4 4 1.8 36 2 12

#### Miner's Axe—Dayton Pattern

306-24 SM3½ 3½ 1.6 20 2 8

### DOUBLE BIT—MICHIGAN PATTERN (Not Shown)

Drop forged of high carbon steel, carefully heat treated and tempered for lasting sharpness. Head is ground smooth, with a rust resistant black finish. Fine, flame treated hickory handle.

ITEM CODE	CATALOG NO.	HEAD lbs.	WEIGHT kg	LGTH. in.	STD. PKG.	PKG. lbs.
--------------	----------------	--------------	--------------	--------------	--------------	--------------


322-20 SDB3½ 3½ 1.6 36 2 11



## HAMMER AND HATCHET SAFETY RULES

### USE THE CORRECT STRIKING TOOL FOR THE JOB

Hammers are arguably the most abused, most misused of all hand tools. Injuries can be caused by trying to strike too heavy a blow with a lightweight hammer, by using a damaged hammer and by using the wrong style of hammer for the task at hand. There is no such thing as a "universal" hammer, and users are well advised to use only tools that have been designed for the job.



**Straight Claw or Rip Hammer**

For use with non-hardened common or finishing nails only. Choose 20, 24, 28 or 32 oz. weights for framing and ripping.




**Ball Pein Hammer**

For riveting, center punching and bending or shaping soft metal. Choose weights from 2 oz. to 48 oz., depending on the task.



**Hand Drilling Hammer**

Easy to handle with plenty of punch. The only hammer to use with star drills, masonry nails, steel chisels and nail pullers.




**Brick Hammer**

Designed for cutting and setting bricks or blocks, and for chipping mortar.




**Curved Claw or Nail Hammer**

For use with non-hardened common or finishing nails only. Choose 16 or 20 oz. weights for general carpentry, lighter weights for model work or fine cabinetry.



**Rawhide Mallet**

For use in furniture assembly, shaping soft sheet metals or any project that requires non-marring blows. Choose weights from 3 oz. to 24 oz.



**Shingling Hatchet**

The Pro's choice for installing shakes and shingles. Handy, three position gauge pin for metric and U.S. standards sets exposed length of shingle. Milled and crowned face sets nails cleanly.




**Wallboard Tool**

Multi-purpose tool scores wallboard, makes cutouts and sets nails with a perfect dimple. Exclusive "Flat Top" head permits nailing in corners.

### HERE ARE SOME BASIC RULES FOR PROPER USE OF STRIKING TOOLS:


- ALWAYS WEAR SAFETY GOGGLES • NEVER strike any hammer or hatchet with or against another hammer or hatchet • ALWAYS strike the surface squarely—avoid glancing blows • DO NOT use claw hammers or hatchets on concrete, stone, or hardened metal objects (such as nail pullers, pry bars, cold chisels, punches, star drills, drift pins, masonry nails, clevis or hitch pins, etc.) • ALWAYS use a hammer of the right size and weight for the job • NEVER use a brick hammer to strike metal



### NEVER USE A HAMMER THAT HAS ANY OF THESE FAULTS



Discard hammer or hatchet with chipped or battered face



Discard hammer with cracked claw or eye section



Discard hammer or hatchet with mushroomed striking face




Replace loose or cracked handles. Always use replacement handles of same size and quality as original. Make sure of proper fit and secure wedging.

### SAFETY GOGGLES

Made extra large to fit comfortably over eyeglasses or sunglasses. Perforated sides provide extra face protection and good ventilation. Soft, flexible frame conforms to facial contours. Replaceable lens. Meet OSHA requirements and ANSI standard Z87.1, 1968. Individually packed in attractive merchandising carton. Shipped with clear lens only.

CATALOG NO.	WEIGHT oz.	STD. PKG.	PKG. lbs.
597-00	3	5	1½
<b>Replacement Lenses</b>			
597-01 Clear	1	1	
597-02 Green	1	1	







**VAUGHAN**  
• Free Spring Tempered Steel  
• Proven Design for Maximum Leverage  
• Ground and Beveled Edges  
VAUGHAN BUSINESS, INC. CO.  
MADE IN USA  
THE ORIGINAL  
**SUPERBAR**  
No Bots  
SCRAPES • PRIES • LIFTS • PULLS  
0-512165-4



## SUPERBAR® AND

### VAUGHAN'S ORIGINAL SUPERBAR®

The Vaughan Superbar has become an essential tool with both home owners and tradesmen. Its "shepherd's crook", rocker head is designed for maximum prying power; its 15" length provides excellent leverage. Useful for prying molding, scraping and pulling nails. Forged, spring tempered steel for heavy duty use. Three beveled nail slots; polished, sharp blades for easy insertion. Don't settle for imitations!

ITEM CODE	CATALOG NO.	WEIGHT oz.	WEIGHT g	LGTH. in.	STD. PKG.	PKG. lbs.
450-01	B215	24	670	15	4	6 1/2

### NAIL PULLERS

Designed for extracting deeply imbedded nails, these pullers are forged of 5/8" hex, high carbon steel. Claw is hardened and tempered for strength and long life. Blue, rust resistant finish, polished claw. Single-end puller has rubber cushion grip. Strike with hand drilling hammer or light sledge.


ITEM CODE	CATALOG NO.	WEIGHT oz.	WEIGHT g	LGTH. in.	STD. PKG.	PKG. lbs.
465-02	NP12G	20	567	11 1/2	4	5 1/2
470-02	NP12DE	16	454	11	4	4 1/2



**Encourage safe work habits!**  
Advise your customers to always wear safety goggles when using striking tools.



Rocker head designed for maximum prying power



Sharp, tapered blades



Nail puller claw hardened and tempered for long life



Mini-Bar has scores of uses in home and shop

## PRY BARS

### MINI-BAR®

A mini-sized version of Vaughan's Original Superbar, this unique tool has scores of uses. With its rocker head and beveled nail slots, it will pull small nails and staples, open paint cans, slit tape. Made of high quality tempered steel, chrome plated for an attractive appearance. Carded for pegboard display.

ITEM CODE	CATALOG NO.	WEIGHT oz.	WEIGHT g	LGTH. in.	STD. PKG.	PKG. lbs.
460-04	222	1	28	5 1/2	10	1 1/2

### RIPPING BAR

Forged of tough, 3/4" hex, high carbon steel. Three beveled nail slots. Hardened and tempered claws. Blue, rust-resistant finish, polished ends.

ITEM CODE	CATALOG NO.	WEIGHT oz.	WEIGHT g	LGTH. in.	STD. PKG.	PKG. lbs.
455-01	RB18	40	1120	18	4	10 1/2

### CARPENTERS' WRECKING BARS


Forged, high carbon steel. Black, rust-resistant finish. Hardened and tempered claw and chisel.

ITEM CODE	CATALOG NO.	HEX STOCK SIZE in.	LENGTH in.	STD. PKG.	PKG. lbs.
573-18	318	5/8	18	10	17
573-24	324	3/4	24	10	33
573-30	330	3/4	30	10	39
573-36	336	3/4	36	10	24





## CHISELS, PUNCHES



## AND WEDGES

### BRICKLAYERS' SETS

Drop forged of high carbon steel, then hardened and tempered. Beveled striking face minimizes mushrooming and chipping. Polished head and blade; square handle with beveled corners for comfortable grip. Ground smooth overall, with rust-resistant black finish. Must not be struck with bricklayer's hammer or nail hammer.

ITEM CODE	CATALOG NO.	CUT in.	STD. PKG.	PKG. lbs.
430-02	3 1/2	3 1/2	4	3 1/2
431-02	4	4	4	3 3/4

### COLD CHISELS


Forged alloy steel; square stock, beveled for comfortable grip. Rust-resistant, black finish with polished blade and head.

ITEM CODE	CATALOG NO.	CUT in.	LGTH. in.	STOCK SIZE in.	STD. PKG.	PKG. lbs.
400-01	914	1/4	4 1/2	1/4	12	1
401-01	938	3/8	5	5/16	12	2
402-01	912	1/2	6	7/16	12	4 3/4
403-01	958	5/8	6 1/2	1/2	12	7 1/2
404-01	934	3/4	7	5/8	12	12
405-01	978	7/8	8	3/4	6	8 1/4


### CENTER PUNCH

Forged alloy steel, square stock, beveled for comfortable grip. Rust-resistant, black finish with polished point and head.

ITEM CODE	CATALOG NO.	LGTH. in.	STOCK SIZE in.	STD. PKG.	PKG. lbs.
420-01	90	6	1/2	12	3 1/2



Don't use punches or chisels with mushroomed striking faces



### PIN PUNCHES

Forged alloy steel, hex stock. Rust-resistant, black finish with polished point and head.

ITEM CODE	CATALOG NO.	PT. in.	LGTH. in.	STOCK SIZE in.	STD. PKG.	PKG. lbs.
410-01	93	3/32	4 1/2	1/4	12	3/4
411-01	94	1/8	4 3/4	5/16	12	1
412-01	95	5/32	5	5/16	12	1 1/2
413-01	96	3/16	5 1/4	3/8	12	2

### PRICK PUNCH

Forged alloy steel, hex stock. Rust-resistant, black finish with polished point and head.

ITEM CODE	CATALOG NO.	LENGTH in.	STOCK SIZE in.	STD. PKG.	PKG. lbs.
422-01	92	6	1/2	12	3 1/2

### SQUARE HEAD SPLITTING WEDGES

Forged of high carbon steel, then hardened and tempered. Grooved sides for easier removal. Safety goggles should be worn when driving splitting wedges. Packaged 10 to a carton.

ITEM CODE	CATALOG NO.	WEIGHT lbs. kg	LGTH. in.	HEAD in.	BIT in.
572-03	303	3 1.4	7 1/2	1 1/4	2
572-04	304	4 1.8	8 1/2	1 3/8	2 1/4
572-05	305	5 2.3	9	1 1/2	2 3/8



**Encourage safe work habits!**

Advise your customers to always wear safety goggles when using striking tools.









## PROFESSIONAL

### SPLIT-HEAD HAMMERS

Vaughan's new, patented\* design Split-Head Hammers allow quick changes of faces and handles. Malleable iron heads have two socket head cap screws for uniform distribution of clamping pressure, improving handle and face retention. Extension collars under the head transfer shock to 40% more handle surface, reducing user fatigue and handle breakage. Handles are top quality hardwood.

ITEM CODE	CATALOG NO.	FACE DIA. in.	WT. lbs.	LGTH. in.	STD. PKG.	PKG. lbs.
-----------	-------------	---------------	----------	-----------	-----------	-----------

#### Rawhide Faces

587-10	SH125	1 1/4	1 1/2	11	4	7
587-12	SH150	1 1/2	2	12	4	9
587-14	SH175	1 3/4	3 1/4	12 3/4	4	14
587-16	SH200	2	4 1/2	13 3/4	2	9
587-22	SH275	2 3/4	7 1/2	15 3/4	2	16

#### Nylon Faces

588-14	SH175NF	1 3/4	3 1/4	12 3/4	4	14
588-16	SH200NF	2	4 1/2	13 3/4	2	9

\*Metric sizes are an exact fit, inch sizes are closest equivalent.


### COPPER-FACE HAMMERS

Pure electrolytic copper faces absorb shock and distribute the force of the blow evenly. Malleable iron heads have grooved and tapered socket walls to help ensure a secure press fit for the replaceable copper faces. Handles are top quality hardwood.

ITEM CODE	CAT. NO.	FACE DIA. in.	WT. lbs.	LGTH. in.	STD. PKG.	PKG. lbs.
580-01	C100	1	1	9	4	5
580-10	C125	1 1/4	2	10 3/4	4	9
580-12	C150	1 1/2	3	12	4	13
580-14	C175	1 3/4	4	12	4	17
580-16	C200	2	7	16	2	15
580-18	C200L	2	8	32	1	8



Split head clamps and locks with two standard socket head cap screws



Faces can be rotated for uniform wear and increased life

## SOFT-FACE HAMMERS

### RAWHIDE-FACE HAMMERS

Malleable iron heads have tapered sockets for the replaceable faces. Rawhide faces are compressed and thoroughly seasoned for uniformity and durability. Handles are top quality hardwood.

ITEM CODE	CAT. NO.	FACE DIA. in.	WT. lbs.	LGTH. in.	STD. PKG.	PKG. lbs.
581-08	R100	1	3/4	9	4	4
581-10	R125	1 1/4	1 1/2	10 3/4	4	7
581-12	R150	1 1/2	2	12	4	9
581-14	R175	1 3/4	2 7/8	12	4	12
581-16	R200	2	4 1/2	14	2	10
581-22	R275	2 3/4	7 1/4	15	2	15

### COPPER/RAWHIDE-FACE HAMMERS

Dual-purpose hammers will provide either the high impact of copper or the resilience of compressed rawhide. Malleable iron heads have tapered socket walls to help ensure a secure press fit for the replaceable faces. Handles are top quality hardwood.

ITEM CODE	CAT. NO.	FACE DIA. in.	WT. lbs.	LGTH. in.	STD. PKG.	PKG. lbs.
583-10	CR125	1 1/4	1 1/2	10 3/4	4	7
583-12	CR150	1 1/2	2 1/2	12	4	11
583-14	CR175	1 3/4	3 1/2	12	4	15


### REPLACEMENT FACES FOR SPLIT- AND SOLID HEAD HAMMERS

RAWHIDE			COPPER		NYLON	
FACE DIA. in.	ITEM CODE	CATALOG NO.	ITEM CODE	CATALOG NO.	ITEM CODE	CATALOG NO.
1	590-00	100RF	590-02	100CF	—	—
1 1/4	590-20	125RF	590-22	125CF	590-24	125NF
1 1/2	590-40	150RF	590-42	150CF	590-44	150NF
1 3/4	590-60	175RF	590-62	175CF	590-64	175NF
2	590-80	200RF	590-82	200CF	590-84	200NF
2 3/4	590-90	275RF	—	—	590-94	275NF





## NYLON FACE AND



Easily replaceable faces

## DEAD BLOW HAMMERS

### SOFT-FACE HAMMERS


Forged steel head lends force to blows. Supplied with two faces—soft (red) and hard (yellow). Flame treated hickory handle, "Sure-Lock" wedged.

ITEM CODE	CATALOG NO.	HEAD WT. oz.	HEAD WT. g	LGTH. in.	STD. PKG.	PKG. lbs.
193-10	SF6	6	170	10½	4	3
194-10	SF12	12	340	12½	4	4
<b>Replacement Tips</b>						
511-01	SF6H (Hard)					
512-01	SF6S (Soft)					
513-01	SF12H (Hard)					
514-01	SF12S (Soft)					

### NYLON-FACE HAMMERS

The one-piece threaded faces on these hammers feature a shoulder to absorb the force of side blows, protecting the threads. Chrome plated, zinc alloy heads are serrated to help keep faces tight. Handles are top quality hardwood. Supplied with two white nylon faces.

ITEM CODE	CAT. NO.	FACE DIA. in.	WT. lbs.	LGTH. in.	STD. PKG.	PKG. lbs.
584-08	NT100	1	½	10	4	3
584-10	NT125	1¼	1	11	4	5
584-12	NT150	1½	1½	11¼	4	7
584-14	NT175	1¾	2	12	4	9
584-16	NT200	2	2¾	13½	2	6



Shot moves during hammer swing to minimize rebound and increase impact

### DEAD BLOW HAMMERS

The heads of these hammers are partially filled with steel shot to increase impact and reduce rebound. The one-piece threaded faces feature a shoulder to absorb the force of side blows, protecting the threads. The one-piece, aluminum alloy heads are serrated to help keep the faces tight. A neoprene compound grip on the handle absorbs shock. Supplied with two white nylon faces.

ITEM CODE	CAT. NO.	FACE DIA. in.	WT. lbs.	LGTH. in.	STD. PKG.	PKG. lbs.
585-10	DB125	1¼	1	10½	4	5
585-12	DB150	1½	1½	11¼	4	7
585-14	DB175	1¾	2	12	4	9
585-16	DB200	2	3	12½	2	7
585-20	DB250	2½	4¼	14¼	2	9

### REPLACEMENT FACES FOR NYLON & DEAD-BLOW HAMMERS

SOFT GREY* PLASTIC		MEDIUM* RED PLASTIC		HARD WHITE NYLON		EXTRA HARD* YELLOW PLASTIC		TOUGH BROWN POLYURETHANE	
FACE DIA.	ITEM CODE	CAT. NO.	ITEM CODE	CAT. NO.	ITEM CODE	CAT. NO.	ITEM CODE	CAT. NO.	ITEM CODE
1	589-06	100SF	589-04	100MF	589-00	100HF	589-08	100XF	589-02
1¼	589-26	125SF	589-24	125MF	589-20	125HF	589-28	125XF	589-22
1½	589-46	150SF	589-44	150MF	589-40	150HF	589-48	150XF	589-42
1¾	589-66	175SF	589-64	175MF	589-60	175HF	589-68	175XF	589-62
2	589-86	200SF	589-84	200MF	589-80	200HF	589-88	200XF	589-82
2½	—	—	—	—	589-90	250HF	—	—	589-92

\*Not recommended for dead-blow hammers.







**RAWHIDE &**



**RUBBER MALLETS**



Rawhide faces compressed and seasoned for toughness



Rubber Mallets have replaceable faces



Heads are molded onto handles of Solid Rubber Mallets

## RAWHIDE MALLETS

Compressed under hydraulic pressure, then seasoned for durability, Vaughan Rawhide Mallets deliver firm blows from a larger striking face. Handles are top quality hardwood.

ITEM CODE	CATALOG NO.	FACE DIA. in.	APPROX. WT. oz.	LGTH. in.	STD. PKG.	lbs.
582-08	RM100	1	3 oz.	10	4	1
582-10	RM125	1 1/4	4 oz.	10	4	1
582-12	RM150	1 1/2	6 oz.	10 3/4	4	2
582-14	RM175	1 3/4	8 oz.	12	4	2
582-16	RM200	2	12 oz.	12	4	4
582-20	RM250	2 1/2	1 1/4 lbs.	13 1/2	2	3
582-22	RM275	2 3/4	1 1/2 lbs.	13 1/2	2	3 1/2

## LEAD-LOADED RAWHIDE MALLETS

Lead core provides increased head weight for applications that require extra striking power. Rawhide is compressed under hydraulic pressure, then seasoned for durability. Handles are top quality hardwood.

ITEM CODE	CATALOG NO.	FACE DIA. in.	APPROX. WT. oz.	LGTH. in.	STD. PKG.	lbs.
586-10	RML125	1 1/4	7 oz.	10	4	2
586-12	RML150	1 1/2	11 oz.	10 3/4	4	3
586-14	RML175	1 3/4	14 oz.	12	4	4
586-16	RML200	2	1 1/4 lbs.	12	4	5 1/2
586-20	RML250	2 1/2	2 lbs.	13 1/2	2	5
586-22	RML275	2 3/4	2 1/4 lbs.	13 1/2	2	5

## RUBBER MALLETS

Forged steel head provides extra driving power. Replaceable 2" diameter rubber tips, one white for "clean" work, one black. Flame treated hickory handle, "Sure-Lock" wedged in tapered eye.

ITEM CODE	CATALOG NO.	HEAD oz.	WEIGHT g	LGTH. in.	STD. PKG.	lbs.
195-10	RM24	24	680	14	4	8

### Replacement Tips

515-01	RM24TB (Black)
515-02	RM24TW (White)

## SOLID RUBBER MALLETS

Specially compounded, quality rubber for high impact strength and long life. Head securely mounted on hardwood handle. Available in white or black.

ITEM CODE	CATALOG NO.	FACE DIA. in.	APPROX. WT. oz.	LGTH. in.	STD. PKG.	lbs.
Black 574-31	RM2B	2 1/4	1 1/4	10 5/8	4	5 1/2
White 574-32	RM2W	2 1/4	1 1/2	10 5/8	4	6 1/2



**VB****VAUGHAN**

## SELECT FROM FOUR GRADES OF HANDLE

Vaughan and V&B replacement handles are all made from high quality American Hickory, accurately machine gauged, double sanded, buffed and lacquered for

maximum hand comfort. Easy to follow assembly instructions and all necessary wood and steel wedges are packaged with each handle.

### **TOUGH FIBRE®**

Specially-selected hickory, as supplied in Vaughan's Professional Quality tools. Finished with weather-resistant, clear lacquer. Density at least 48 lbs. per cu. ft.

### **SUPREME**

Top quality hickory, with weather-resistant, clear lacquer finish. Density at least 48 lbs. per cu. ft.

### **E-Z SWING**


















Flame treated hickory with weather-resistant, clear lacquer finish. Density at least 42 lbs. per cu. ft.

### **SWINGER**

Good, serviceable hickory with weather-resistant, clear lacquer finish.



## REPLACEMENT HANDLES

		GRADE	ITEM CODE	PKG. lbs.	
CLAW HAMMER HANDLES	<b>12" ADZE EYE</b> For 7-10 oz. Claw Hammers & Vaughan 5-7 oz. Tack Hammers	Tough Fibre Supreme E-Z Swing Swinger	<b>611-01</b> <b>610-72</b> <b>610-73</b> <b>610-75</b>	1.7	
	<b>13 1/2" ADZE EYE OCTAGON</b> For 13-16 oz. Claw Hammers & Vaughan 16 oz. Scaling Hammer	Tough Fibre Supreme E-Z Swing	<b>601-61</b> <b>601-62</b> <b>601-63</b>	2.7	
	<b>13 1/2" ADZE EYE</b> For 13-16 oz. Claw Hammers & Vaughan 16 oz. Scaling Hammer	Tough Fibre Supreme E-Z Swing Swinger	<b>611-61</b> <b>611-62</b> <b>611-63</b> <b>611-65</b>	2.8	
	<b>14" ADZE EYE</b> -For 20 oz. Claw Hammers, Vaughan 999 & 999M Framing Hammers & Vaughan 18 oz. Electricians' Hammer	Tough Fibre Supreme E-Z Swing Swinger	<b>612-01</b> <b>612-02</b> <b>612-03</b> <b>612-05</b>	3.1	
	<b>16" ADZE EYE</b> For 20 oz. Claw Hammers & Vaughan 999L & 999ML Framing Hammers	Tough Fibre Supreme E-Z Swing Swinger	<b>602-01</b> <b>602-02</b> <b>602-03</b> <b>602-05</b>	3.7	
	<b>17" ADZE EYE</b> For 24 oz. Claw Hammers & Vaughan 505 & 505M Framing Hammers	Tough Fibre Supreme E-Z Swing Swinger	<b>612-41</b> <b>612-42</b> <b>612-43</b> <b>612-45</b>	4.3	
	<b>15" ADZE EYE</b> For 28 oz. Claw Hammers	Tough Fibre	<b>612-71</b>	4.4	
MACHINIST & BLACKSMITH HAMMER HANDLES	<b>18" ADZE EYE</b> For 28-32 oz. Claw Hammers & Vaughan 606M & 707M Framing Hammers	Tough Fibre Supreme E-Z Swing Swinger	<b>612-81</b> <b>612-82</b> <b>612-83</b> <b>612-85</b>	4.4	
	<b>11" MACHINIST</b> For 4 oz. Ball Pein Hammers & Vaughan 6 oz. Soft Face Hammers	Supreme E-Z Swing Swinger	<b>620-62</b> <b>620-63</b> <b>620-65</b>	1.4	
	<b>12 1/2" MACHINIST</b> For 8 oz. Ball Pein Hammers	Supreme E-Z Swing Swinger	<b>620-82</b> <b>620-83</b> <b>620-85</b>	1.8	
	<b>13" MACHINIST</b> For 12 oz. Ball Pein Hammers & Vaughan 16 oz. Soft Face Hammers	Supreme E-Z Swing Swinger	<b>621-22</b> <b>621-23</b> <b>621-25</b>	2.2	
	<b>14" MACHINIST</b> For 16-20 oz. Ball Pein Hammers & Vaughan 24 oz. Rubber Mallet	Supreme E-Z Swing Swinger	<b>621-62</b> <b>621-63</b> <b>621-65</b>	2.6	
	<b>16" MACHINIST</b> For 20-24 oz. Ball Pein Hammers & 32 oz. Flat Eye Blacksmith Hammers	Supreme E-Z Swing Swinger	<b>622-42</b> <b>622-43</b> <b>622-45</b>	3.3	
	<b>16 1/2" MACHINIST</b> For 32-40-48 oz. Ball Pein Hammers & 40-48 oz. Flat Eye Blacksmith Hammers	Supreme E-Z Swing Swinger	<b>624-02</b> <b>624-03</b> <b>624-05</b>	3.8	
	<b>10 1/2" HAND DRILL</b> For 2-4 lb. Oval Eye Hand Drill Hammers	Supreme E-Z Swing Swinger	<b>630-32</b> <b>630-33</b> <b>630-35</b>	1.9	
	<b>14" BLACKSMITH</b> For 2 lb. Oval Eye Blacksmith Hammers	Supreme E-Z Swing Swinger	<b>633-22</b> <b>633-23</b> <b>633-25</b>	2.7	
	<b>16" BLACKSMITH</b> For 2-4 lb. Oval Eye Blacksmith Hammers	Supreme E-Z Swing Swinger	<b>634-02</b> <b>634-03</b> <b>634-05</b>	3.7	

All handles packed 6 to a carton



# REPLACEMENT HANDLES

		GRADE	ITEM CODE	PKG. lbs.	
BRICKLAYER HAMMER HANDLES	<b>11" BRICKLAYERS</b> For 16 oz. Brick Hammers	Tough Fibre Supreme E-Z Swing Swinger	<b>631-61</b> <b>631-62</b> <b>631-63</b> <b>631-65</b>	1.9	
	<b>12" BRICKLAYERS</b> For 24 oz. Brick Hammers	Tough Fibre Supreme E-Z Swing Swinger	<b>632-41</b> <b>632-42</b> <b>632-43</b> <b>632-45</b>	2.2	
SLEDGE HAMMER HANDLES	<b>24" SLEDGE</b> For 4-6 lb. Sledge Hammers	Supreme E-Z Swing Swinger	<b>672-42</b> <b>672-43</b> <b>672-45</b>	6.0	
	<b>30" SLEDGE</b> For 6-8 lb. Sledge Hammers	Supreme E-Z Swing Swinger	<b>673-02</b> <b>673-03</b> <b>673-05</b>	7.1	
	<b>32" SLEDGE</b> For up to 16 lb. Sledge Hammers & Oval Eye Woodchopper Mauls	Supreme E-Z Swing Swinger	<b>673-22</b> <b>673-23</b> <b>673-25</b>	8.0	
	<b>36" SLEDGE</b> For up to 16 lb. Sledge Hammers & Oval Eye Woodchopper Mauls	Supreme E-Z Swing Swinger	<b>673-62</b> <b>673-63</b> <b>673-65</b>	9.9	
	<b>36" SLEDGE (HEAVY)</b> For 20-24 lb. Sledge Hammers	Supreme E-Z Swing Swinger	<b>673-92</b> <b>673-93</b> <b>673-95</b>	11.0	
PICK AND POST MAUL HANDLES	<b>36" PICK</b> For #6 Eye Picks and Pick Mattocks	Supreme E-Z Swing Swinger	<b>683-62</b> <b>683-63</b> <b>683-65</b>	14.3	
	<b>36" POST MAUL</b> For Oval Eye "Swett" and "Cowanesque" Cast Iron Post Mauls	Supreme E-Z Swing Swinger	<b>693-62</b> <b>693-63</b> <b>693-65</b>	10.3	
HATCHET HANDLES	<b>13 1/2" HATCHET</b> For Shingling, Wallboard, Box and Lath Hatchets	Tough Fibre Supreme E-Z Swing Swinger	<b>641-31</b> <b>641-32</b> <b>641-33</b> <b>641-35</b>	3.1	
	<b>14" HATCHET</b> For Half, Claw, and Broad Hatchets	Tough Fibre Supreme E-Z Swing Swinger	<b>641-41</b> <b>641-42</b> <b>641-43</b> <b>641-45</b>	3.2	
	<b>15 1/2" HATCHET</b> For Shingling, Wallboard, Box and Lath Hatchets	Tough Fibre Supreme E-Z Swing Swinger	<b>641-21</b> <b>641-52</b> <b>641-53</b> <b>641-55</b>	3.2	
	<b>17 1/2" HATCHET</b> For Rig Builders' Hatchets and 23 oz. California Framers	Tough Fibre Supreme E-Z Swing Swinger	<b>641-71</b> <b>641-72</b> <b>641-73</b> <b>641-75</b>	4.0	
AXE HANDLES	<b>14" SCOUT</b> For 1 1/4 lb. Scout, Camps, and Belt Axes	Supreme E-Z Swing Swinger	<b>651-42</b> <b>651-43</b> <b>651-45</b>	3.2	
	<b>28" BOYS</b> For 2 1/4 lb. Single Bit Axes	Supreme E-Z Swing Swinger	<b>652-82</b> <b>652-83</b> <b>652-85</b>	6.2	
	<b>28" CRUISER</b> For 2 1/2 lb. Double Bit Cruiser Axes	Supreme E-Z Swing Swinger	<b>662-82</b> <b>662-83</b> <b>662-85</b>	6.2	
	<b>36" MEN'S CURVED</b> For 3-5 lb. Single Bit Axes	Supreme E-Z Swing Swinger	<b>653-62</b> <b>653-63</b> <b>653-65</b>	10.3	
	<b>36" MEN'S STRAIGHT DOUBLE BIT</b> Men's Straight Double Bit for 3-5 lb. Double Bit Axes	Supreme E-Z Swing Swinger	<b>663-62</b> <b>663-63</b> <b>663-65</b>	10.7	
	<b>36" MEN'S STRAIGHT SINGLE BIT</b> For 3-5 lb. Single Bit Axes & Single Bit Axe Eye Woodchopper Mauls	Supreme E-Z Swing Swinger	<b>655-12</b> <b>655-13</b> <b>655-15</b>	10.1	

All handles packed 6 to a carton



## BROOM & GENERAL MAINTENANCE REPLACEMENT HANDLES

	ITEM CODE	CATALOG NUMBER	LENGTH in.	DIAMETER in.	STANDARD PACKAGE	PACKAGE lbs.
TAPERED END	870-01	5456T	54	15/16	6	5 1/2
	871-01	6056T	60	15/16	6	6
	873-01	7256T	72	15/16	6	7 1/2
	875-01	5418T	54	1 1/8	6	8
	876-01	6018T	60	1 1/8	6	9
	878-01	7218T	72	1 1/8	6	10 1/2
THREADED WOOD END	870-26	5456WT	54	15/16	6	5 1/2
	871-26	6056WT	60	15/16	6	6
	873-26	7256WT	72	15/16	6	7 1/2
	875-26	5418WT	54	1 1/8	6	8
	876-26	6018WT	60	1 1/8	6	9
	878-26	7218WT	72	1 1/8	6	10 1/2
THREADED METAL END	870-51	5456MT	54	15/16	6	5 1/2
	871-51	6056MT	60	15/16	6	6
	873-51	7256MT	72	15/16	6	7 1/2
	875-51	5418MT	54	1 1/8	6	8
	876-51	6018MT	60	1 1/8	6	9
	878-51	7218MT	72	1 1/8	6	10 1/2

## HICKORY FILE HANDLES

ITEM CODE	CATALOG NUMBER	FIT FILE in.	HANDLE		HOLE		STD. PKG.		12-PACK lbs.
			LENGTH in.	DIA. in.	DIA. in.	DEPTH in.	SHELF	MASTER	
892-02	40FH	3-6	4	1	7/64	2	12	72	1
893-02	45FH	6-10	4 1/2	1 1/4	1 1/64	2 1/4	12	72	1 1/2
894-02	50FH	10-14	5	1 3/8	1/4	2 5/8	12	72	2 1/4
895-02	55FH	14-20	5 1/2	1 1/2	5/16	3 5/16	12	72	2 3/4
896-02	56FH	20-over	5 1/2	1 1/2	3/8	3 1/2	12	72	2 3/4

## HICKORY TIRE KNOCKERS

ITEM CODE	CATALOG NUMBER	LENGTH in.	APPROX. WEIGHT lbs.	CARTON WEIGHT lbs.
637-10	16TK	16	.6 lb	7
680-11	24TK	24	1.0 lb	12

## HANDLE ASSORTMENTS

ITEM CODE	CAT. NO.	DESCRIPTION	MASTER SHIPPER	SHIP WT.
600-05	430 M	Self-selling display of 30 assorted handles for ball pein, blacksmith and engineers' hammers	4	53
600-06	1030	Self-selling display of 30 assorted handles for framing hammers, claw hammers and hatchets	4	53
600-11	1130	Self-selling display of 30 assorted handles for axes, sledges and picks	1	48

## SPLIT HEAD HAMMER HANDLES

ITEM CODE	FITS HAMMER NO.	APPROX. WT. oz.	STD. PKG.
595-00	SH125	4	1
595-02	SH150	5	1
595-04	SH175	6	1
595-06	SH200	8	1
595-08	SH275	10	1

## WEDGE KITS

Each Wedge Kit includes two steel wedges and one wood wedge. Clear vinyl package perforated for Pegboard Display. Illustrated re-handling instructions printed on each kit.

ITEM CODE	CATALOG NUMBER	STANDARD PACKAGE	PACKAGE oz.
501-50	WK 1/2	10	10
Used With: 16, 20, & 24 oz. Nail and Framing Hammers			
502-50	WK 3/4	10	15
Used With: 28 & 32 oz. Framing Hammers			

## WEDGE ASSORTMENTS

ITEM CODE	CATALOG NUMBER	NO. OF WEDGES	STD. PKG.	PKG. lbs.
Wood 89019	WW240	240	4 Asstrmts	18
Steel 89049	SW210	210	4 Asstrmts	11



# INDEX

Item Code	Cat. No.	Description	Page
103-00	CF1	California Frammer, Milled Face	13
103-01	CF1P	California Frammer, Smooth Face	13
104-03	S16TR	SuperSteel Rip Hammer, Tubular Steel	10
104-05	S16FR	SuperSteel Rip Hammer, Fiberglass	10
104-15	S16R	SuperSteel Rip Hammer, Hickory	10
105-00	999	Professional Rip Hammer, Hickory	8
105-01	999T	Professional Rip Hammer, Tubular Steel	9
105-08	FS999	Professional Rip Hammer, Fiberglass	9
105-10	999L	Professional Rip Hammer, Hickory	8
105-11	999TL	Professional Rip Hammer, Tubular Steel	9
105-16	FS999L	Professional Rip Hammer, Fiberglass	9
105-20	999M	Professional Rip Hammer, Hickory	8
105-30	999ML	Professional Rip Hammer, Hickory	8
105-31	999TML	Professional Rip Hammer, Tubular Steel	9
105-37	999MLFO	Hickory Rip Hammer, Full Octagon	8
105-38	FS999ML	Professional Rip Hammer, Fiberglass	9
106-02	606S	Professional Rip Hammer, Hickory	8
106-20	606M	Professional Rip Hammer, Hickory	8
107-20	707M	Professional Rip Hammer, Hickory	8
108-15	R24	Professional Claw Hammer, Solid Steel	7
109-10	R16	Professional Claw Hammer, Solid Steel	7
110-00	R606M	Professional Rip Hammer, Solid Steel	9
110-01	R606	Professional Rip Hammer, Solid Steel	9
112-00	R999	Professional Rip Hammer, Solid Steel	9
112-10	R999L	Professional Rip Hammer, Solid Steel	9
112-20	R999ML	Professional Rip Hammer, Solid Steel	9
113-01	V13	Vaughan's Vanadium Hammer	7
113-03	DO13	Full Octagon Claw Hammer, Hickory	7
113-15	FS13	Full Octagon Claw Hammer, Fiberglass	7
113-20	S13	SuperSteel Claw Hammer, Hickory	10
114-00	TO16	Full Octagon Claw Hammer, Tubular	7
114-03	DO16	Full Octagon Claw Hammer, Hickory	7
114-10	FS16	Full Octagon Claw Hammer, Fiberglass	7
114-15	S16	SuperSteel Claw Hammer, Hickory	10
114-22	S16F	SuperSteel Claw Hammer, Fiberglass	10
114-28	S16T	SuperSteel Claw Hammer, Tubular	10
115-03	DO20	Full Octagon Hickory Claw Hammer	7
115-05	FS20	Full Octagon Claw Hammer, Fiberglass	7
115-06	FS20L	Full Octagon Claw Hammer, Fiberglass	7
115-10	TO20	Full Octagon Claw Hammer, Tubular	7
115-22	520F	SuperSteel Claw Hammer, Fiberglass	10
115-28	520T	SuperSteel Claw Hammer, Tubular	10
115-40	S20	SuperSteel Claw Hammer, Hickory	10
120-01	V16	Vaughan's Vanadium Hammer	7
122-01	9	Little Pro Rip Hammer	8
122-12	9D	Little Pro Display	BC
122-50	DD9	Double Duty Rip Hammer	10
123-01	505	Hickory Rip Hammer	8
123-20	505M	Hickory Rip Hammer, Milled Face	8
123-31	FS505	Fiberglass Rip Hammer	9
123-38	FS505M	Fiberglass Rip Hammer	9
124-00	99	Pro-16 Hickory Rip Hammer	8
124-10	FS99	Pro-16 Fiberglass Rip Hammer	9
124-20	Ms99	Pro-16 Hickory Rip Hammer, Milled Face	8
124-30	99T	Pro-16 Tubular Rip Hammer	9
125-10	R25	Solid Steel Rip Hammer	9
126-10	9C	Little Pro Curved Claw Hammer	8
127-15	R20	Professional Claw Hammer, Solid Steel	7
131-20	S7	SuperSteel Claw Hammer, Hickory	10
131-50	DD7	Double Duty Claw Hammer	11
133-30	TC16	Commercial Claw Hammer	11
133-50	DD16	Double Duty Claw Hammer	11
134-41	S16P	Plain Face Hammer, White Hickory	11
134-93	FS16P	Plain Face Hammer, Fiberglass	11
134-95	DD16P	Plain Face Hammer, Lacquered Hickory	11
136-41	S20P	Plain Face Hammer, White Hickory	11
136-93	FS20P	Plain Face Hammer, Fiberglass	11
136-95	DD20P	Plain Face Hammer, Lacquered Hickory	11

Item Code	Cat. No.	Description	Page
137-30	TC16R	Commercial Rip Hammer	11
137-50	DD16R	Double Duty Rip Hammer	11
138-20	E18F	Electrician's Hammer	14
150-20	S702	SuperSteel Ball Pein, Hickory	16
151-20	S504	SuperSteel Ball Pein, Hickory	16
151-30	TC504	Commercial Ball Pein, Hickory	16
153-20	S308	SuperSteel Ball Pein, Hickory	16
153-30	TC308	Commercial Ball Pein, Hickory	16
154-20	S2012	SuperSteel Ball Pein, Hickory	16
154-30	TC2012	Commercial Ball Pein, Hickory	16
155-20	S016	SuperSteel Ball Pein, Hickory	16
155-30	TC016	Commercial Ball Pein, Hickory	16
156-20	S120	SuperSteel Ball Pein, Hickory	16
156-30	TC120	Commercial Ball Pein, Hickory	16
157-20	S224	SuperSteel Ball Pein, Hickory	16
157-30	TC224	Commercial Ball Pein, Hickory	16
158-20	S432	SuperSteel Ball Pein, Hickory	16
158-30	TC432	Commercial Ball Pein, Hickory	16
159-20	S640	SuperSteel Ball Pein, Hickory	16
159-30	TC640	Commercial Ball Pein, Hickory	16
160-20	S848	SuperSteel Ball Pein, Hickory	16
160-30	TC848	Commercial Ball Pein, Hickory	16
161-10	FS308	Professional Ball Pein, Fiberglass	16
162-10	FS2012	Professional Ball Pein, Fiberglass	16
163-10	FS016	Professional Ball Pein, Fiberglass	16
164-10	FS224	Professional Ball Pein, Fiberglass	16
165-10	FS432	Professional Ball Pein, Fiberglass	16
166-10	MR12	Machinist's Riveting	16
168-10	TR12	Tinner's Riveting, Hickory	16
168-15	TR16F	Tinner's Riveting, Fiberglass	16
170-30	S32	Blacksmith's Hammer	18
171-30	S40	Blacksmith's Hammer	18
172-30	S48	Blacksmith's Hammer	18
173-30	SDF40	Engineer's Hammer	18
174-30	SDF48	Engineer's Hammer	18
175-10	L36	Lineman's (Farrier's) Hammer	18
176-10	BL10	Brick Hammer, Hickory	14
177-10	BL16	Brick Hammer, Hickory	14
177-14	BL16TC	Brick Hammer, Hickory	14
178-10	BL24	Brick Hammer, Hickory	14
178-16	BL24TC	Brick Hammer, Hickory	14
179-01	AP16	Prospecting Pick	20
179-03	AP16U	Prospecting Pick	20
180-34	SBP5	Magnetic Tack Hammer	17
182-20	ST5	Magnetic Tack Hammer with Claw	17
183-20	SU7	Magnetic Upholster's Hammer	17
184-12	ABL18	Brick Hammer, Solid Steel	14
185-10	WC12	Welders Chipping Hammer	17
186-10	SC16	Scaling Hammer	17
188-55	M1 1/4F	Industrial Maul	18
189-55	M3F	Industrial Maul	18
191-10	HD3	Hand Drilling Hammer	18
193-10	SF6	Soft Face Hammer	28
194-10	SF12	Soft Face Hammer	28
195-10	RM24	Rubber Mallet	29
198-10	WCAS	Welders Chipping Hammer	17
198-15	WCOS	Welders Chipping Hammer	17
200-01	UL	Underhill Lathing Hatchet	14
200-02	UDH	Underhill Drywall Hatchet	14
201-01	SH	Shingling Hatchet	13
201-10	Gauge	Shingling Hatchet Gauge	13
203-01	BX2	Underhill Box Hatchet	14
204-01	CB	Car Builder's Hatchet	13
204-20	RB	Rig Builder's Hatchet	13
205-20	SH2	Carpenter's Half Hatchet	13
207-01	SB2	Broad Hatchet	21
210-01	WB	Wallboard Tool	13
210-02	WBS	Wallboard Tool	13
211-01	RH	SuperSteel Roofing Hatchet	13
212-02	2/O	Oyster Hatchet	21
301-01	ZSB3 1/2	Sub Zero Axe, Single Bit Michigan Pattern	20
301-20	SSB3 1/2	SuperSteel Single Bit Axe	21
306-20	SSBD3 1/2	SuperSteel Single Bit Axe	21
306-24	SM3 1/4	SuperSteel Single Bit Axe	21
307-20	SSBD4	SuperSteel Single Bit Axe	21
320-20	SC2 1/4	SuperSteel Cruiser Axe	21
322-01	ZDB3 1/2	Sub Zero Axe, Double Bit Michigan Pattern	20
322-20	SDB3 1/2	SuperSteel Double Bit Axe	21
330-20	SB2 1/4	SuperSteel Boy's Axe	21
331-20	SH1 1/4	SuperSteel Hunter's Axe	21
332-20	SC1 1/4	SuperSteel Scout Axe	21
332-24	SCS1 1/4	SuperSteel Scout Axe with Sheath	21
333-01	ZS 1/2	Sub Zero Axe, Supersportsman's	20
334-02	AS1 1/4	Solid Steel Camp Axe	20
400-01	914	Cold Chisel	25
401-01	938	Cold Chisel	25
402-01	912	Cold Chisel	25
403-01	958	Cold Chisel	25
404-01	934	Cold Chisel	25

Item Code	Cat. No.	Description	Page
405-01	978	Cold Chisel	25
410-01	93	Pin Punch	25
411-01	94	Pin Punch	25
412-01	95	Pin Punch	25
413-01	96	Pin Punch	25
420-01	90	Center Punch	25
422-01	92	Prick Punch	25
430-02	3½	Bricklayer's Set	25
431-02	4	Bricklayer's Set	25
450-01	B215	SuperBar	24
450-12	B215D	SuperBar Display	BC
455-01	RB18	Ripping Bar	24
460-04	222	Mini-Bar	24
465-02	NP12G	Single End Nail Puller	24
470-02	NP12DE	Double End Nail Puller	24
501-50	WK½	Wedge Kit	33
502-50	WK¾	Wedge Kit	33
511-01	SF6H	Soft Face Hammer Tip	28
512-01	SF6S	Soft Face Hammer Tip	28
513-01	SF12H	Soft Face Hammer Tip	28
514-01	SF12S	Soft Face Hammer Tip	28
515-01	RM24TB	Rubber Mallet Tip	29
515-02	RM24TW	Rubber Mallet Tip	29
560-00	S½	Supersportsman Axe Sheath	20
561-00	L1¼	Sheath for Scout Axe	21
562-00	S1¼	Camp Axe Sheath	20
571-04	SS4	Double Face Sledge	18
571-06	SS6	Double Face Sledge	18
571-08	SS8	Double Face Sledge	18
571-10	SS10	Double Face Sledge	18
571-12	SS12	Double Face Sledge	18
572-03	303	Splitting Wedge	25
572-04	304	Splitting Wedge	25
572-05	305	Splitting Wedge	25
573-18	318	Carpenter's Wrecking Bar	24
573-24	324	Carpenter's Wrecking Bar	24
573-30	330	Carpenter's Wrecking Bar	24
573-36	336	Carpenter's Wrecking Bar	24
574-31	RM2B	Solid Rubber Mallet, Black	29
574-32	RM2W	Solid Rubber Mallet, White	29
580-01	C100	Copper Face Hammer	27
580-10	C125	Copper Face Hammer	27
580-12	C150	Copper Face Hammer	27
580-14	C175	Copper Face Hammer	27
580-16	C200	Copper Face Hammer	27
580-18	C200L	Copper Face Hammer	27
581-08	R100	Rawhide Face Hammer	27
581-10	R125	Rawhide Face Hammer	27
581-12	R150	Rawhide Face Hammer	27
581-14	R175	Rawhide Face Hammer	27
581-16	R200	Rawhide Face Hammer	27
581-22	R275	Rawhide Face Hammer	27
582-08	RM100	Rawhide Mallet	29
582-10	RM125	Rawhide Mallet	29
582-12	RM150	Rawhide Mallet	29
582-14	RM175	Rawhide Mallet	29
582-16	RM200	Rawhide Mallet	29
582-20	RM250	Rawhide Mallet	29
582-22	RM275	Rawhide Mallet	29
583-10	CR125	Copper/Rawhide Face Hammer	27
583-12	CR150	Copper/Rawhide Face Hammer	27
583-14	CR175	Copper/Rawhide Face Hammer	27
584-08	NT100	Nylon Face Hammer	28
584-10	NT125	Nylon Face Hammer	28
584-12	NT150	Nylon Face Hammer	28
584-14	NT175	Nylon Face Hammer	28
584-16	NT200	Nylon Face Hammer	28
585-10	DB125	Dead Blow Hammer	28
585-12	DB150	Dead Blow Hammer	28
585-14	DB175	Dead Blow Hammer	28
585-16	DB200	Dead Blow Hammer	28
585-20	DB250	Dead Blow Hammer	28
586-10	RML125	Lead Loaded Rawhide Mallet	29
586-12	RML150	Lead Loaded Rawhide Mallet	29
586-14	RML175	Lead Loaded Rawhide Mallet	29
586-16	RML200	Lead Loaded Rawhide Mallet	29
586-20	RML250	Lead Loaded Rawhide Mallet	29
586-22	RML275	Lead Loaded Rawhide Mallet	29
587-10	SH125	Split Head Hammer, Rawhide Faces	27
587-12	SH150	Split Head Hammer, Rawhide Faces	27
587-14	SH175	Split Head Hammer, Rawhide Faces	27
587-16	SH200	Split Head Hammer, Rawhide Faces	27
587-22	SH275	Split Head Hammer, Rawhide Faces	27
588-14	SH175NF	Split Head Hammer, Nylon Faces	27
588-16	SH200NF	Split Head Hammer, Nylon Faces	27



Item Code	Cat. No.	Description	Page	Item Code	Cat. No.	Description	Page	Item Code	Cat. No.	Description	Page
589-00	100HF	Replacement Face, Hard White Nylon	28	602-02	Supreme	Claw Hammer Handle, 16" Adze Eye	31	641-45	Swinger	Hatchet Handle, 14"	32
589-02	100TF	Replacement Face, Tough Brown Polyurethane	28	602-03	E-Z Swing	Claw Hammer Handle, 16" Adze Eye	31	641-52	Supreme	Hatchet Handle, 15 1/2"	32
589-04	100MF	Replacement Face, Medium Red Plastic	28	602-05	Swinger	Claw Hammer Handle, 16" Adze Eye	31	641-53	E-Z Swing	Hatchet Handle, 15 1/2"	32
589-06	100SF	Replacement Face, Soft Grey Plastic	28	610-72	Supreme	Claw Hammer Handle, 12" Adze Eye	31	641-55	Swinger	Hatchet Handle, 15 1/2"	32
589-08	100XF	Replacement Face, Extra Hard Yellow Plastic	28	610-73	E-Z Swing	Claw Hammer Handle, 12" Adze Eye	31	641-71	Tough Fibre	Hatchet Handle, 17 1/2"	32
589-20	125HF	Replacement Face, Hard White Nylon	28	610-75	Swinger	Claw Hammer Handle, 12" Adze Eye	31	641-72	Supreme	Hatchet Handle, 17 1/2"	32
589-22	125TF	Replacement Face, Tough Brown Polyurethane	28	611-01	Tough Fibre	Claw Hammer Handle, 12" Adze Eye	31	641-73	E-Z Swing	Hatchet Handle, 17 1/2"	32
589-24	125MF	Replacement Face, Medium Red Plastic	28	611-61	Tough Fibre	Claw Hammer Handle, 13 1/2" Adze Eye	31	641-75	Swinger	Hatchet Handle, 17 1/2"	32
589-26	125SF	Replacement Face, Soft Grey Plastic	28	611-62	Supreme	Claw Hammer Handle, 13 1/2" Adze Eye	31	651-42	Supreme	Axe Handle, 14" Scout	32
589-28	125XF	Replacement Face, Extra Hard Yellow Plastic	28	611-63	E-Z Swing	Claw Hammer Handle, 13 1/2" Adze Eye	31	651-43	E-Z Swing	Axe Handle, 14" Scout	32
589-40	150HF	Replacement Face, Hard White Nylon	28	611-65	Swinger	Claw Hammer Handle, 13 1/2" Adze Eye	31	651-45	Swinger	Axe Handle, 14" Scout	32
589-42	150TF	Replacement Face, Tough Brown Polyurethane	28	612-01	Tough Fibre	Claw Hammer Handle, 14" Adze Eye	31	652-82	Supreme	Axe Handle, 28" Boys	32
589-44	150MF	Replacement Face, Medium Red Plastic	28	612-02	Supreme	Claw Hammer Handle, 14" Adze Eye	31	652-83	E-Z Swing	Axe Handle, 28" Boys	32
589-46	150SF	Replacement Face, Soft Grey Plastic	28	612-03	E-Z Swing	Claw Hammer Handle, 14" Adze Eye	31	652-85	Swinger	Axe Handle, 28" Boys	32
589-48	150XF	Replacement Face, Extra Hard Yellow Plastic	28	612-05	Swinger	Claw Hammer Handle, 14" Adze Eye	31	653-62	Supreme	Axe Handle, 36" Men's Curved	32
589-60	175HF	Replacement Face, Hard White Nylon	28	612-41	Tough Fibre	Claw Hammer Handle, 17" Adze Eye	31	653-63	E-Z Swing	Axe Handle, 36" Men's Curved	32
589-62	175TF	Replacement Face, Tough Brown Polyurethane	28	612-42	Supreme	Claw Hammer Handle, 17" Adze Eye	31	653-65	Swinger	Axe Handle, 36" Men's Curved	32
589-64	175MF	Replacement Face, Medium Red Plastic	28	612-43	E-Z Swing	Claw Hammer Handle, 17" Adze Eye	31	655-12	Supreme	Axe Handle, 36" Men's Straight, Single Bit	32
589-66	175SF	Replacement Face, Soft Grey Plastic	28	612-45	Swinger	Claw Hammer Handle, 17" Adze Eye	31	655-13	E-Z Swing	Axe Handle, 36" Men's Straight, Single Bit	32
589-68	175XF	Replacement Face, Extra Hard Yellow Plastic	28	612-71	Tough Fibre	Claw Hammer Handle, 15" Adze Eye	31	655-15	Swinger	Axe Handle, 36" Men's Straight, Single Bit	32
589-80	200HF	Replacement Face, Hard White Nylon	28	612-81	Tough Fibre	Claw Hammer Handle, 18" Adze Eye	31	662-82	Supreme	Axe Handle, 28" Cruiser	32
589-82	200TF	Replacement Face, Tough Brown Polyurethane	28	612-82	Supreme	Claw Hammer Handle, 18" Adze Eye	31	662-83	E-Z Swing	Axe Handle, 28" Cruiser	32
589-84	200MF	Replacement Face, Medium Red Plastic	28	612-83	E-Z Swing	Claw Hammer Handle, 18" Adze Eye	31	662-85	Swinger	Axe Handle, 28" Cruiser	32
589-86	200SF	Replacement Face, Soft Grey Plastic	28	612-85	Swinger	Claw Hammer Handle, 18" Adze Eye	31	663-62	Supreme	Axe Handle, 36" Men's Straight	32
589-88	200XF	Replacement Face, Extra Hard Yellow Plastic	28	620-62	Supreme	Machinist Hammer Handle, 11"	31	663-63	E-Z Swing	Axe Handle, 36" Men's Straight	32
589-90	250HF	Replacement Face, Hard White Nylon	28	620-63	E-Z Swing	Machinist Hammer Handle, 11"	31	663-65	Swinger	Axe Handle, 36" Men's Straight	32
589-92	250TF	Replacement Face, Tough Brown Polyurethane	28	620-65	Swinger	Machinist Hammer Handle, 11"	31	672-42	Supreme	Sledge Hammer Handle, 24"	32
590-00	100RF	Replacement Face, Rawhide	27	620-82	Supreme	Machinist Hammer Handle, 12 1/2"	31	672-43	E-Z Swing	Sledge Hammer Handle, 24"	32
590-02	100CF	Replacement Face, Copper	27	620-83	E-Z Swing	Machinist Hammer Handle, 12 1/2"	31	672-45	Swinger	Sledge Hammer Handle, 24"	32
590-20	125RF	Replacement Face, Rawhide	27	620-85	Swinger	Machinist Hammer Handle, 12 1/2"	31	673-02	Supreme	Sledge Hammer Handle, 30"	32
590-22	125CF	Replacement Face, Copper	27	621-22	Supreme	Machinist Hammer Handle, 13"	31	673-03	E-Z Swing	Sledge Hammer Handle, 30"	32
590-24	125NF	Replacement Face, Nylon	27	621-23	E-Z Swing	Machinist Hammer Handle, 13"	31	673-05	Swinger	Sledge Hammer Handle, 30"	32
590-40	150RF	Replacement Face, Rawhide	27	621-25	Swinger	Machinist Hammer Handle, 13"	31	673-22	Supreme	Sledge Hammer Handle, 32"	32
590-42	150CF	Replacement Face, Copper	27	621-62	Supreme	Machinist Hammer Handle, 14"	31	673-23	E-Z Swing	Sledge Hammer Handle, 32"	32
590-44	150NF	Replacement Face, Nylon	27	621-63	E-Z Swing	Machinist Hammer Handle, 14"	31	673-25	Swinger	Sledge Hammer Handle, 32"	32
590-60	175RF	Replacement Face, Rawhide	27	621-65	Swinger	Machinist Hammer Handle, 14"	31	673-62	Supreme	Sledge Hammer Handle, 36"	32
590-62	175CF	Replacement Face, Copper	27	622-42	Supreme	Machinist Hammer Handle, 16"	31	673-63	E-Z Swing	Sledge Hammer Handle, 36"	32
590-64	175NF	Replacement Face, Nylon	27	622-43	E-Z Swing	Machinist Hammer Handle, 16"	31	673-65	Swinger	Sledge Hammer Handle, 36"	32
590-80	200RF	Replacement Face, Rawhide	27	622-45	Swinger	Machinist Hammer Handle, 16"	31	673-92	Supreme	Sledge Hammer Handle, 36" Heavy	32
590-82	200CF	Replacement Face, Copper	27	624-02	Supreme	Machinist Hammer Handle, 16 1/2"	31	673-93	E-Z Swing	Sledge Hammer Handle, 36" Heavy	32
590-84	200NF	Replacement Face, Nylon	27	624-03	E-Z Swing	Machinist Hammer Handle, 16 1/2"	31	680-11	24TK	Hickory Tire Knocker	33
590-90	275RF	Replacement Face, Rawhide	27	624-05	Swinger	Machinist Hammer Handle, 16 1/2"	31	683-62	Supreme	Pick Handle, 36"	32
590-94	275NF	Replacement Face, Nylon	27	630-32	Supreme	Hand Drilling Hammer Handle, 10 1/2"	31	683-63	E-Z Swing	Pick Handle, 36"	32
595-00	1SH	Split Head Hammer Handle, SH125	33	630-33	E-Z Swing	Hand Drilling Hammer Handle, 10 1/2"	31	683-65	Swinger	Pick Handle, 36"	32
595-02	2SH	Split Head Hammer Handle, SH150	33	630-35	Swinger	Hand Drilling Hammer Handle, 10 1/2"	31	693-62	Supreme	Post Maul Handle, 36"	32
595-04	3SH	Split Head Hammer Handle, SH175	33	631-62	Supreme	Bricklayer's Hammer Handle, 11"	32	693-63	E-Z Swing	Post Maul Handle, 36"	32
595-06	4SH	Split Head Hammer Handle, SH200	33	631-63	E-Z Swing	Bricklayer's Hammer Handle, 11"	32	693-65	Swinger	Post Maul Handle, 36"	32
595-08	5SH	Split Head Hammer Handle, SH275	33	631-65	Swinger	Bricklayer's Hammer Handle, 11"	32	870-01	5456T	Broom Handle, Tapered End	33
597-00		Safety Goggles	22	632-42	Supreme	Bricklayer's Hammer Handle, 12"	32	870-26	5456WT	Broom Handle, Threaded Wood End	33
597-01		Replacement Lenses, Clear	22	632-43	E-Z Swing	Bricklayer's Hammer Handle, 12"	32	870-51	5456MT	Broom Handle, Threaded Metal End	33
597-02		Replacement Lenses, Green	22	632-45	Swinger	Bricklayer's Hammer Handle, 12"	32	871-01	6056T	Broom Handle, Tapered End	33
600-05	430M	Handle Assortment	33	633-22	Supreme	Blacksmith Hammer Handle, 14"	31	871-26	6056WT	Broom Handle, Threaded Wood End	33
600-06	1030	Handle Assortment	33	633-23	E-Z Swing	Blacksmith Hammer Handle, 14"	31	871-51	6056MT	Broom Handle, Threaded Metal End	33
600-11	1130	Handle Assortment	33	634-02	Supreme	Blacksmith Hammer Handle, 16"	31	873-01	7256T	Broom Handle, Tapered End	33
601-61	Tough Fibre	Claw Hammer Handle, 13 1/2" Adze Eye Octagon	31	634-03	E-Z Swing	Blacksmith Hammer Handle, 16"	31	873-26	7256WT	Broom Handle, Threaded Wood End	33
601-62	Supreme	Claw Hammer Handle, 13 1/2" Adze Eye Octagon	31	634-05	Swinger	Blacksmith Hammer Handle, 16"	31	875-01	5418T	Broom Handle, Tapered End	33
601-63	E-Z Swing	Claw Hammer Handle, 13 1/2" Adze Eye Octagon	31	637-10	16TK	Hickory Tire Knocker	33	875-26	5418WT	Broom Handle, Threaded Wood End	33
602-01	Tough Fibre	Claw Hammer Handle, 16" Adze Eye	31	641-21	Tough Fibre	Hatchet Handle, 15 1/2"	32	875-51	5418MT	Broom Handle, Threaded Metal End	33
				641-31	Tough Fibre	Hatchet Handle, 13 1/2"	32	876-01	6018T	Broom Handle, Tapered End	33
				641-32	Supreme	Hatchet Handle, 13 1/2"	32	876-26	6018WT	Broom Handle, Threaded Wood End	33
				641-33	E-Z Swing	Hatchet Handle, 13 1/2"	32	876-51	6018MT	Broom Handle, Threaded Metal End	33
				641-35	Swinger	Hatchet Handle, 13 1/2"	32	878-01	7218T	Broom Handle, Tapered End	33
				641-41	Tough Fibre	Hatchet Handle, 14"	32	878-26	7218WT	Broom Handle, Threaded Wood End	33
				641-42	Supreme	Hatchet Handle, 14"	32	878-51	7218MT	Broom Handle, Threaded Metal End	33
				641-43	E-Z Swing	Hatchet Handle, 14"	32	890-19	WW240	Wedge Assortment, Wood	33
								890-49	SW210	Wedge Assortment, Steel	33
								892-02	40FH	Hickory File Handle	33
								893-02	45FH	Hickory File Handle	33
								894-02	50FH	Hickory File Handle	33
								895-02	55FH	Hickory File Handle	33
								896-02	56FH	Hickory File Handle	33





PD-1



B215-D



\$H12-D



DO16-D



222



9-D



**VAUGHAN**

For people who take pride in their work . . .  
tools to be proud of

VAUGHAN & BUSHNELL MANUFACTURING CO.  
11414 Maple Avenue, Hebron, IL 60034  
815 648-2446 • FAX 815 648-4300